

## Schedule


Issue date: 25 September 2022  
Valid Until: 22 September 2025



### NO: SAMM 936

(Issue 1, 25 September 2022 replacement  
of SAMM 936 dated 25 September 2022)

Page: 1 of 3

<b>LABORATORY LOCATION:</b> (PERMANENT LABORATORY) 	Pro-Medi Laboratory (M) Sdn. Bhd. Wisma KK, 10C, Jalan Sultan Azlan Shah, Gelugor, 11700 Pulau Pinang. , 11700, PULAU PINANG MALAYSIA
<b>ACCREDITED SINCE :</b>	18 SEPTEMBER 2019
<b>FIELD(S) OF MEDICAL TESTING :</b>	CHEMICAL PATHOLOGY HAEMATOLOGY MEDICAL MICROBIOLOGY

The standard used for assessment of this laboratory is MS ISO 15189:2022 (ISO 15189:2022, IDT).

A medical laboratory's fulfilment of the requirements of ISO 15189 means the laboratory meets both the technical competence requirements and the management system requirements necessary for it to consistently deliver technically valid test results. The management system requirements in ISO 15189 are written in language relevant to a medical laboratory's operations. Medical laboratories that implement ISO 15189 operate generally in accordance with the principles of ISO 9001. (See Joint IAF-ILAC-ISO Communiqué, November 2021)

Scan this QR Code or visit <https://accreditation.ism.gov.my/public/listing/cab/samm-mt/3002832> for the current scope of accreditation

**NO: SAMM 936**(Issue 1, 25 September 2022 replacement  
of SAMM 936 dated 25 September 2022)

Page: 2 of 3

<b>CENTRAL LOCATION</b>	Pro-Medi Laboratory (M) Sdn. Bhd. Wisma KK, 10C, Jalan Sultan Azlan Shah, Gelugor, 11700 Pulau Pinang. , 11700, Pulau Pinang
<b>FIELD(S) OF MEDICAL TESTING :</b>	CHEMICAL PATHOLOGY, HAEMATOLOGY MEDICAL MICROBIOLOGY

**SCOPE OF MEDICAL TESTING : CHEMICAL PATHOLOGY**

Specimen Tested	Type of Test/ Properties Measured/	Test Methods, Specifications/ Equipment/Techniques Used
Urine	Morphine	Morphine based on test strips as documented in Promedi MTM_05_Morphine test strip
	Cannabinoids	Cannabinoids based on test strips as documented in Promedi MTM_04_Canabis test strip
	Urine Examination	Urine Examination as documented in Promedi MTM_06_Urine (GLU/PRO)
	Urine Pregnancy Test (UPT)	Urine Pregnancy Test (UPT) Test Strip based on Rapid Chromatographic immunoassay as documented in Promedi MTM_08_Urine Pregnancy Test.

**SCOPE OF MEDICAL TESTING : HAEMATOLOGY**

Specimen Tested	Type of Test/ Properties Measured/	Test Methods, Specifications/ Equipment/Techniques Used
Blood/serum	ABO/Rh Blood Grouping	Tube method based on Immuno agglutination as documented in Promedi MTM_01_ABO Blood Group

**SCOPE OF MEDICAL TESTING : MEDICAL MICROBIOLOGY**

Specimen Tested	Type of Test/ Properties Measured/	Test Methods, Specifications/ Equipment/Techniques Used

# Schedule

Issue date: 25 September 2022  
Valid Until: 22 September 2025



## NO: SAMM 936

(Issue 1, 25 September 2022 replacement of SAMM 936 dated 25 September 2022)

Page: 3 of 3

Serum/plasma	HIV I & II Ab	HIV based on ELISA method as documented in Promedi MTM_02_HIV
	HBs Antigen	ELISA method as documented in Promedi MTM_03
Blood	Malaria Parasite (ELISA)	Monoclonal Antibody documented as Promedi_07_Malaria Antigen
	Blood Film Malaria Parasite (BFMP)	Blood Film Malaria Parasite (BFMP) as documented in Promedi MTM_07.01_Malaria
Blood/serum	Detection of Syphilis	Plasmatic VDRL Carbon particle antigen in based on flocculation method as documented in Promedi MTM_09_VDRL
	Treponema Pallidum Particle Agglutination (TPPA)	Treponema Pallidum Particle Agglutination (TPPA) test as documented in Promedi MTM_09.1_VDRL

## NOTE :