

Schedule


Issue date: 12 August 2025
Valid Until: -



NO: SAMM 927

(Issue 2, 12 August 2025 replacement
of SAMM 927 dated 05 February 2025)

Page: 1 of 1

LABORATORY LOCATION/ CENTRAL OFFICE: 	Clinical Research Center Sarawak General Hospital Laboratory, Sarawak General Hospital Level 4, CRC Building Jalan Tun Ahmad Zaidi Adruce, 93586 Kuching Sarawak , 93586, SARAWAK MALAYSIA
ACCREDITED SINCE :	12 AUGUST 2025

This laboratory has demonstrated its technical competence to operate in accordance with MS ISO/IEC 17025:2017 (ISO/IEC 17025:2017).

This laboratory's fulfillment of the requirements of ISO/IEC 17025 means the laboratory meets both the technical competence requirements and management system requirements that are necessary for it to consistently deliver technically valid test results and calibrations. The management system requirements in ISO/IEC 17025 are written in language relevant to laboratory operations and operate generally in accordance with the principles of ISO 9001 (see Joint ISO-ILAC-IAF Communiqué dated April 2017).

Scan this QR Code or visit <https://accreditation.ism.gov.my/public/listing/cab/samm-ct/3002954> for the current scope of accreditation