


NO: SAMM 675

Page: 1 of 2

<b>LABORATORY LOCATION/ CENTRAL OFFICE:</b>	Upstream Downstream Process & Services Sdn Bhd No. 6976, Bukit Kuang Business Centre, 24000 Kemaman, Terengganu , 24000, TERENGGANU MALAYSIA
	
<b>ACCREDITED SINCE :</b>	27 FEBRUARY 2025
<b>FIELD(S) OF TESTING:</b>	CHEMICAL

This laboratory has demonstrated its technical competence to operate in accordance with MS ISO/IEC 17025:2017 (ISO/IEC 17025:2017).

This laboratory's fulfillment of the requirements of ISO/IEC 17025 means the laboratory meets both the technical competence requirements and management system requirements that are necessary for it to consistently deliver technically valid test results and calibrations. The management system requirements in ISO/IEC 17025 are written in language relevant to laboratory operations and operate generally in accordance with the principles of ISO 9001 (see Joint ISO-ILAC-IAF Communiqué dated April 2017).

<b>CENTRAL LOCATION:</b>	Upstream Downstream Process & Services Sdn Bhd No. 6976, Bukit Kuang Business Centre, 24000 Kemaman, Terengganu , 24000, Terengganu
<b>FIELD(S) OF TESTING :</b>	CHEMICAL,

**SCOPE OF TESTING : CHEMICAL**

Material / Product Tested	Type Of Test / Properties Measured / Range Of Measurement	Standard Test Methods / Equipment / Techniques
<b>Water</b> - Drinking Water - Potable Water - Raw Water - Ground Water - Mineral Water	pH Turbidity	APHA 4500 H <sup>+</sup> B 2017 APHA 2130 B 2017
<b>Water</b> - Produced Water	Total Mercury	In-house Method QSOP/TL-003 based on UOP 938-2000
<b>Environmental Monitoring</b> - Sewage Water - Industrial Effluent	pH Turbidity	APHA 4500 H <sup>+</sup> B 2017 APHA 2130 B 2017

## Schedule

Issue date: 30 August 2023  
Valid Until: 21 November 2028



NO: SAMM 675

Page: 2 of 2

Material / Product Tested	Type Of Test / Properties Measured / Range Of Measurement	Standard Test Methods / Equipment / Techniques
<b>Biological Specimens</b> - Blood - Urine	Total Mercury	In-house Method QSOP/TL-005 based on USEPA 7473-2007
<b>Petroleum &amp; Petroleum Products</b> - Crude Oil - Condensate	Total Mercury	In-house Method QSOP/TL-003 based on UOP 938-2000
<b>Petroleum &amp; Petroleum Products</b> - Natural Gas	Total Mercury	In-house Method QSOP/TL-004 based on ASTM D5954-1998

Scan this QR Code or visit <https://accreditation.ism.gov.my/public/listing/cab/samm-ct/3003171> for the current scope of accreditation