## Schedule

Issue date: 01 December 2023 Valid Until: 06 December 2028



**NO: SAMM 858** 

Page: 1 of 3

LABORATORY LOCATION/ CENTRAL OFFICE:	Material Testing Lab, Quasi-S Technology Sdn. Bhd. Block Stroma B3-1, UKM-MTDC Smart Technology Center 43600 Bangi, Selangor , 43600, SELANGOR MALAYSIA	
ACCREDITED SINCE :	12 MARCH 2025	
FIELD(S) OF TESTING:	MECHANICAL	

This laboratory has demonstrated its technical competence to operate in accordance with MS ISO/IEC 17025:2017 (ISO/IEC 17025:2017).

This laboratory's fulfillment of the requirements of ISO/IEC 17025 means the laboratory meets both the technical competence requirements and management system requirements that are necessary for it to consistently deliver technically valid test results and calibrations. The management system requirements in ISO/IEC 17025 are written in language relevant to laboratory operations and operate generally in accordance with the principles of ISO 9001 (see Joint ISO-ILAC-IAF Communiqué dated April 2017).

CENTRAL LOCATION:	Material Testing Lab, Quasi-S Technology Sdn. Bhd. Block Stroma B3-1, UKM-MTDC Smart Technology Center 43600 Bangi, Selangor, 43600, Selangor
FIELD(S) OF TESTING:	MECHANICAL,

**SCOPE OF TESTING: MECHANICAL** 

Issue date: 01 December 2023 Valid Until: 06 December 2028



NO: SAMM 858

Page: 2 of 3

Material / Product Tested	Type Of Test / Properties Measured / Range Of Measurement	Standard Test Methods / Equipment / Techniques
Metallic Materials	Metallographic Test	ASTM E3-11 (2017)
	i) Sample preparation	
	i) campio proparation	ASTM E407-07 (2015) e1
	ii) Microstructure examination	ASTM E1351-01 (2020)
	(qualitative observation and	ASTM E1881 –2022
	` '	ASTM E361 –2022 ASTM E340-2023
	recording)	ASTIVI E340-2023
	- Phase Identification (Pearlite,	
	Ferrite and Martensite, etc)	
	- Pitting	
	- Inclusion	
	- Weldment Structure (ferrous	
	only)	
	- Cast Iron Structure / Grey Cast	
	Iron (Flake)	
	Macroscopic Examination	
	-Method for Macroetch Testing	
	Steel Bars, Billets, Blooms, and	
	Forgings	
	-Methods of macro etching metals	
	and alloys to reveal their	
	macrostructure	
		A CTM F204 22
	Mechanical Test	ASTM E384-22
	i) Micro Vickers Hardness Range	
	1-1000 gf	
	Charpy Impact Test	ASTM A370 -22
	(V-Notch and U-Notch)	ASTM E23-23a
	Range: 0-500J	
	Sub-zero temperature (-30 Íl C) to	
	elevated temperature (+30 Íl C)	
	Tensile test at ambient	ASTM A370 -22
	temperature	ASTM E8/E8M-22
	Range: 200 kN (MAX)	
	Proportion magazined	
	Properties measured:	
	1. Yield Strength	
	2. Tensile Strength	
	3. Elongation	

## Schedule

Issue date: 01 December 2023 Valid Until: 06 December 2028



NO: SAMM 858

Page: 3 of 3

Material / Product Tested	Type Of Test / Properties Measured / Range Of	Standard Test Methods / Equipment / Techniques
	Measurement	
	Range: 0 kN to 200 kN at Ambient Temperature Bend Test Charpy Impact Test  Range: 0 J to 500 J Temperature: -40 -•°C to 19 -•°C Macro Examination	ASME Section IX:2023 (Section QW 150) ASME Section IX:2023 (Section QW 160) ASME Section IX:2023 (Section QW 170) ASME Section IX:2023 (Section QW 184)
	Test Range: Up to 20x magnification	