## Schedule

Issue date: 17 March 2025

Valid Until: -



**NO: SAMM 009** 

Page: 1 of 2

LABORATORY LOCATION/ CENTRAL OFFICE:	Ancom Crop Care Sdn Bhd Lot 5, Persiaran Selangor Seksyen 15 40000 Shah Alam, Selangor , 40000,
	SELANGOR MALAYSIA
ACCREDITED SINCE :	17 MARCH 2025
FIELD(S) OF TESTING:	CHEMICAL

This laboratory has demonstrated its technical competence to operate in accordance with MS ISO/IEC 17025:2017 (ISO/IEC 17025:2017).

This laboratory's fulfillment of the requirements of ISO/IEC 17025 means the laboratory meets both the technical competence requirements and management system requirements that are necessary for it to consistently deliver technically valid test results and calibrations. The management system requirements in ISO/IEC 17025 are written in language relevant to laboratory operations and operate generally in accordance with the principles of ISO 9001 (see Joint ISO-ILAC-IAF Communiqué dated April 2017).

CENTRAL LOCATION:	Ancom Crop Care Sdn Bhd Lot 5, Persiaran Selangor Seksyen 15 40000 Shah Alam, Selangor , 40000, Selangor
FIELD(S) OF TESTING:	CHEMICAL,

**SCOPE OF TESTING: CHEMICAL** 

Material / Product Tested	Type Of Test / Properties Measured / Range Of Measurement	Standard Test Methods / Equipment / Techniques
2, 4-d Formulation (formulated As Amine And Sodium Salts)	2, 4-D Content	In-House Method (Ref. No.: WI-LB-CT-013 based on MS 401:1976)
2, 4-d Technical & Formulation	2, 4-D Content	In-House Method (Ref. No.: WI-LB-CT-042 based on AOAC (1990) 978.05
Glyphosate Technical & Formulation	Glyphosate Content	In-House Method (Ref. No.: WI-LB-CT-025)

## Schedule

Issue date: 17 March 2025

Valid Until: -



NO: SAMM 009

Page: 2 of 2

Material / Product Tested	Type Of Test / Properties Measured / Range Of Measurement	Standard Test Methods / Equipment / Techniques
Liquid Substances	Density / SG Measurement	In-House Method ( Ref. No.: WI- LB-PT-018) based on CIPAC: 1995 MT 3 (Pyknometer Method) & BS 733: Part 2:1987 (British Standard Pyknometers; Method for Calibration and Use of Pyknometers)