Schedule

Issue date: 28 July 2025

Valid Until: -



NO: SAMM 614

(Issue 2, 28 July 2025 replacement of SAMM 614 dated 01 March 2024)

Page: 1 of 2

FIELD(S) OF TESTING:	MECHANICAL
ACCREDITED SINCE :	28 JULY 2025
	Wisma Public Packages Plot 67, Lintang Kampung Jawa Bayan Lepas Industrial Estate , 11900, PULAU PINANG MALAYSIA
CENTRAL OFFICE:	PUBLIC PACKAGES SDN. BHD.
LABORATORY LOCATION/	PPASIA LABORATORY

This laboratory has demonstrated its technical competence to operate in accordance with MS ISO/IEC 17025:2017 (ISO/IEC 17025:2017).

This laboratory's fulfillment of the requirements of ISO/IEC 17025 means the laboratory meets both the technical competence requirements and management system requirements that are necessary for it to consistently deliver technically valid test results and calibrations. The management system requirements in ISO/IEC 17025 are written in language relevant to laboratory operations and operate generally in accordance with the principles of ISO 9001 (see Joint ISO-ILAC-IAF Communiqué dated April 2017).

CENTRAL LOCATION:	PPASIA LABORATORY PUBLIC PACKAGES SDN. BHD. Wisma Public Packages Plot 67, Lintang Kampung Jawa Bayan Lepas Industrial Estate , 11900, Pulau Pinang
FIELD(S) OF TESTING:	MECHANICAL,

SCOPE OF TESTING: MECHANICAL

Material / Product Tested	Type Of Test / Properties Measured / Range Of Measurement	Standard Test Methods / Equipment / Techniques
1. Corrugated Carton	Compression Strength (range: 0 to 2000 kgf)	In-house method No: PPSB-TM-04 (Reference ASTM D642-20)

Schedule

Issue date: 28 July 2025 Valid Until: -



NO: SAMM 614

(Issue 2, 28 July 2025 replacement of SAMM 614 dated 01 March 2024)

Page: 2 of 2

Material / Product Tested	Type Of Test / Properties Measured / Range Of Measurement	Standard Test Methods / Equipment / Techniques
2. Paper Board	Bursting Strength	In-house method
	(range: 0 to 50 kgf/cm2)	No: PPSB-TM-03
		(Reference JIS P8131-2009)
	2. Edge Crush	In-house method
	(range: 0 to 100 kgf)	No: PPSB-TM-05
		(Reference JIS Z0403-2:1999)
	3. Flat Crush	In-house method
	(range: 0 to 100 kgf)	No: PPSB-TM-06
		(Reference JIS Z0403-1:1999)
	4. Pin Adhesive	In-house method
	(range: 0 to 100 kgf)	No: PPSB-TM-08
		(Reference JIS Z0402-1995)
3. Paper	1. Ring Crush Strength	In-house method
	(range: 0 to 100 kgf)	No: PPSB-TM-02
		(Reference JIS P8126-2005)
	2. Bursting Strength	In-house method
	(range: 0 to 40 kgf/cm2).	No: PPSB-TM-03
		(Reference JIS P8131-2009)
	3. Grammage Test	In-house method
	(range: 0 to 500 g/m2)	No: PPSB-TM-09
	,	(Reference JIS P8124-2011)
	4. Cobb Value	In-house method
	(range: 0 to 100 gsm)	No: PPSB-TM-07
		(Reference JIS P8140-1998)