


# Schedule

Issue date: 19 March 2025  
Valid Until: -



NO: SAMM 1026

Page: 1 of 1

<b>LABORATORY LOCATION/ CENTRAL OFFICE:</b>	SFSB Laboratory, Sarawak Fertilizer Sdn. Bhd. Lot 611, KM 18, Block 20, Kemena Land District (KINDA) Tanjung Kidurong 97007 Bintulu Sarawak , 97007, SARAWAK MALAYSIA
	
<b>ACCREDITED SINCE :</b>	19 MARCH 2025
<b>FIELD(S) OF TESTING:</b>	CHEMICAL

This laboratory has demonstrated its technical competence to operate in accordance with MS ISO/IEC 17025:2017 (ISO/IEC 17025:2017).

This laboratory's fulfillment of the requirements of ISO/IEC 17025 means the laboratory meets both the technical competence requirements and management system requirements that are necessary for it to consistently deliver technically valid test results and calibrations. The management system requirements in ISO/IEC 17025 are written in language relevant to laboratory operations and operate generally in accordance with the principles of ISO 9001 (see Joint ISO-ILAC-IAF Communiqué dated April 2017).

<b>CENTRAL LOCATION:</b>	SFSB Laboratory, Sarawak Fertilizer Sdn. Bhd. Lot 611, KM 18, Block 20, Kemena Land District (KINDA) Tanjung Kidurong 97007 Bintulu Sarawak , 97007, Sarawak
<b>FIELD(S) OF TESTING :</b>	CHEMICAL,

## SCOPE OF TESTING : CHEMICAL

Material / Product Tested	Type Of Test / Properties Measured / Range Of Measurement	Standard Test Methods / Equipment / Techniques
Fertilizers	Moisture	MS 417: Part 2: 1994 (Oven method)
	Moisture	In-house method ID: TMM /

Scan this QR Code or visit <https://accreditation.ism.gov.my/public/listing/cab/samm-ct/3003585> for the current scope of accreditation