


Schedule

Issue date: 19 March 2025
Valid Until: -



NO: SAMM 1062

Page: 1 of 3

LABORATORY LOCATION/ CENTRAL OFFICE:	Earth Material, Characterization Laboratory, Pusat Penyelidikan Arkeologi Global, Universiti Sains Malaysia (USM) Universiti Sains Malaysia 11800 USM, Pulau Pinang , 11800, PULAU PINANG MALAYSIA
	
ACCREDITED SINCE :	19 MARCH 2025
FIELD(S) OF TESTING:	CHEMICAL

<p>This laboratory has demonstrated its technical competence to operate in accordance with MS ISO/IEC 17025:2017 (ISO/IEC 17025:2017).</p> <p>This laboratory's fulfillment of the requirements of ISO/IEC 17025 means the laboratory meets both the technical competence requirements and management system requirements that are necessary for it to consistently deliver technically valid test results and calibrations. The management system requirements in ISO/IEC 17025 are written in language relevant to laboratory operations and operate generally in accordance with the principles of ISO 9001 (see Joint ISO-ILAC-IAF Communiqué dated April 2017).</p>	
CENTRAL LOCATION:	Earth Material, Characterization Laboratory, Pusat Penyelidikan Arkeologi Global, Universiti Sains Malaysia (USM) Universiti Sains Malaysia 11800 USM, Pulau Pinang , 11800, Pulau Pinang
FIELD(S) OF TESTING :	CHEMICAL,

SCOPE OF TESTING : CHEMICAL

Material / Product Tested	Type Of Test / Properties Measured / Range Of Measurement	Standard Test Methods / Equipment / Techniques
Environmental Monitoring	None	None
	None	None
	Particulate Matter	MS 1596: 2003 Determination of
	Heavy Metals:	None
	None	None
	None	None
	Moisture	(i) Gravimetric Method: BS:EN
	None	None
	None	None
	None	None
	None	None
	None	None
	None	None

Schedule

Issue date: 19 March 2025
Valid Until: -



NO: SAMM 1062

Page: 2 of 3

Material / Product Tested	Type Of Test / Properties Measured / Range Of Measurement	Standard Test Methods / Equipment / Techniques
	Metals	In-house Method PCL-HMW-01
	None	None
	None	None
	Turbidity	APHA 2130 B, 2005
	Turbidity	APHA 2130 B, 2005
	Biochemical Oxygen Demand	APHA 5210 B & C, 2005
	Biochemical Oxygen Demand	DOE 2019, Reference Method,
	pH	APHA 4500 H*B, 2005
	Metals by ICP	None
	Metals by ICP	None
	Metals by ICP	None
	None	In-house method, WI-TEC-S001,
	None	None
	None	None
	None	None
	Determination of Concentration and Mass Flow of Particulate	MS 1596: 2003
	Determination of Total Suspended Particulate Matter in	ASTM: D4096-91 (2003)
	Sound pressure level	Guidelines for Environmental Noise Limits and Control, Third Edition
	None	None
	None	None
	None	None
	Boron	APHA 4500-B C, 2005 APHA 4500-B C, 2017
	Sulphide	APHA 4500- D, 2005 APHA 4500-D, 2017
	Metal Analysis by ICP-OES	None
	Hydrocarbon	APHA 5520 F 2005
	None	None
	Hydrogen Bromide (HBr)	OSHA Method ID-165SG
	Temperature	APHA 2550 B, 2005
	None	None
	None	None
	Formaldehyde	In-house Method C/WTR/012
	None	None
	Aluminium	None
	Aluminium	None
	Nickel	APHA 3120 B, 24" Edition
	pH	APHA 4500 H*B
	pH	APHA 4500 H*B
	None	None
	None	None
	None	None
	COD	APHA 5220 D
	Heavy Metals	None

Scan this QR Code or visit <https://accreditation.ism.gov.my/public/listing/cab/samm-ct/3003607> for the current scope of accreditation

Schedule

Issue date: 19 March 2025
Valid Until: -



NO: SAMM 1062

Page: 3 of 3

Material / Product Tested	Type Of Test / Properties Measured / Range Of Measurement	Standard Test Methods / Equipment / Techniques
	Moisture	EPA Method 9000 (Karl Fischer Titration)
	None	EPA Method 1010 A
	None	Information Circular 8333,
	Total Bacteria Count	Compendium of Methods for the
	Aerobic Plate Count	In-house swab contact method
	None	None
	None	None
	None	None
	None	None
	None	None
	None	None
	None	None
	None	None
	None	None
	None	None
	None	None
	None	None
Powder/solid	Material characterization using	In-house method by using X-Ray
Powder/solid Sample	Dispersive X-Ray (EDX)	None
Si, Cr, Mn, Ni, And Tiin	Quantitative analysis by Energy	ASTM E-1508-12a

Scan this QR Code or visit <https://accreditation.ism.gov.my/public/listing/cab/samm-ct/3003607> for the current scope of accreditation