

Schedule

Issue date: 19 March 2025
Valid Until: -



NO: MyPTP 004

Page: 1 of 2

PROFICIENCY TESTING PROVIDER (PTP) LOCATION/CENTRAL OFFICE: 	UTP LMG-PT, Laboratory Management Department, Universiti Teknologi PETRONAS 32610 Seri Iskandar Perak , 32610, PERAK MALAYSIA
ACCREDITED SINCE :	19 MARCH 2025
FIELD(S) OF TESTING :	CHEMICAL

The standard used for assessment of this proficiency testing provider is MS ISO/IEC 17043:2010.

Scan this QR Code or visit <https://accreditation.jsm.gov.my/public/listing/cab/myptp/3003697> for the current scope of accreditation

Schedule

Issue date: 19 March 2025
Valid Until: -



NO: MyPTP 004

Page: 2 of 2

PROFICIENCY TESTING PROVIDER:	UTP LMG-PT, Laboratory Management Department, Universiti Teknologi PETRONAS 32610 Seri Iskandar Perak , 32610, Perak
FIELD(S) OF TESTING :	CHEMICAL,

SCOPE OF INSPECTION : CHEMICAL

Proficiency Testing Items	Type of test/Properties Measured	Scheme Protocols/Procedures
Water	pH Test Turbidity Test Total Suspended Solids Test	PT Protocol UTP W01

Scan this QR Code or visit <https://accreditation.jsm.gov.my/public/listing/cab/myptp/3003697> for the current scope of accreditation