

## Schedule

Issue date: 26 March 2025  
Valid Until: -



NO: SAMM 214

Page: 1 of 6

|   |   |
|---|---|
| <b>LABORATORY LOCATION/<br/>CENTRAL OFFICE:</b> | SP Laboratory, Sarawak Plantations Services Sdn. Bhd.<br>Lot 2497, Block 14, Salak Land District Jalan Sultan Tengah, 93050<br>Kuching, Sarawak , 93050,<br>SARAWAK<br>MALAYSIA |
| <b>ACCREDITED SINCE :</b>                       | 26 MARCH 2025   |
| <b>FIELD(S) OF TESTING:</b>                     | CHEMICAL  |

This laboratory has demonstrated its technical competence to operate in accordance with MS ISO/IEC 17025:2017 (ISO/IEC 17025:2017).

This laboratory's fulfillment of the requirements of ISO/IEC 17025 means the laboratory meets both the technical competence requirements and management system requirements that are necessary for it to consistently deliver technically valid test results and calibrations. The management system requirements in ISO/IEC 17025 are written in language relevant to laboratory operations and operate generally in accordance with the principles of ISO 9001 (see Joint ISO-ILAC-IAF Communiqué dated April 2017).

|                              |   |
|------------------------------|---|
| <b>CENTRAL LOCATION:</b>     | SP Laboratory, Sarawak Plantations Services Sdn. Bhd.<br>Lot 2497, Block 14, Salak Land District Jalan Sultan Tengah, 93050<br>Kuching, Sarawak , 93050,<br>Sarawak |
| <b>FIELD(S) OF TESTING :</b> | CHEMICAL,   |

### SCOPE OF TESTING : CHEMICAL

| <b>Material / Product Tested</b> | <b>Type Of Test / Properties Measured / Range Of Measurement</b> | <b>Standard Test Methods / Equipment / Techniques</b>            |
|----------------------------------|--|--|
| Leaf                             | Ash  | MS 677: Part II : 1980   |
| Soil                             | Moisture   | In-house Method SPLAB/STP/S1                                     |
|                                  | Moisture   | Analysis, 2012. Loss on Drying (Moisture) in Peat. AOAC Official |
|                                  | pH   | MS 678:Part : 1980 (Ref. No.: S2)                                |
|                                  | Conductivity   | MS 678:Part VI : 1980 (Ref. No.: S3)                             |
|                                  | Exchangeable Cations (Ca, Mg, K, Na)                             | In-house Method (Ref.No.: S8) based-on MS 678: Part IV:1980 and  |
|                                  | pH   | Determination of soil reaction (pH),                             |
|                                  | None   | EHP Detection Kit Instruction Manual                             |

## Schedule

Issue date: 26 March 2025  
 Valid Until: -



NO: SAMM 214

Page: 2 of 6

| <b>Material / Product Tested</b> | <b>Type Of Test / Properties Measured / Range Of Measurement</b>                       | <b>Standard Test Methods / Equipment / Techniques</b>   |
|----------------------------------|--|---|
|                                  | Determination of Moisture Content  | BS 1377-2: 1990 Clause 3.2  |
|                                  | pH   | In-house method TM-CR-03-005  |
|                                  | Particle Density Determination by Mechanical Analysis (Clay, Silt, Fine & Coarse Sand) | BS 1377: Part 2: 1990: clause 8.3<br>In-house method (Ref. No. S1) based on The Bouyoucos Hydrometer method for Particle Size Analysis, Texas A&M University System |
|                                  | pH   | MS 2457 : 2012  |
|                                  | Conductivity (Cond.)   | MS 2458 : 2012  |
|                                  | Organic Carbon (Org. C)  | MS 2459 : 2012  |
|                                  | Total Nitrogen (N)   | MS 678 : Pt. to 1980, Part II   |
|                                  | Phosphorus (Available)   | In-house method (Ref. No. S2) based on J. Sci. Fd. Agric. Vol. 21, 275-278 and MS 678: Pt. VI to IX:  |
|                                  | Sample Preparation   | In-house Method ITC/TM/S01 based on MS 678: Part 0: 1980  |
|                                  | pH   | MS 2457: 2012   |
|                                  | Nitrogen   | MS 678: Part II: 1980- (a)  |
|                                  | Organic Carbon   | MS 2469: 2012   |
|                                  | Total Phosphorus   | In-house Method based on MS 678: Part VIII: 1980  |
|                                  | Available Phosphorus   | In-house Method ITC/TM/S08 based on A laboratory manual of methods of Soil Analysis research Branch Agriculture Department Sarawak 1993, clause 19                  |
|                                  | Exchangeable Cations (K,Mg,Ca)   | In-house Method ITC/TM/S06 based on MS 678: Part IV: 1980   |
|                                  | Cation Exchange Capacity   | In-house Method ITC/TM/S07 based on MS 678: Part V: 1980  |
|                                  | Particle Size Analysis   | In-house Method ITC/TM/S10 based on ASA-SSSA, Methods of Soil Analysis 1986, Part 1, Chapter 15   |
|                                  | Determination of In-situ Density   | BS 1377: Part 9: 1990   |
|                                  | 2.5 kg Rammer  | BS 1377-2:2022  |
|                                  | Clay, Silt, Fine Sand & Phosphorus (total)   | In-house Method, S1, Based on<br>In-house Method, S5, Based on<br>MS 678:Pt. VI to IX:1980, Part VIII   |
|                                  | Phosphorus (total)   | In-house Method, S6, Based on<br>MS 678:Pt. VI to IX:1980, Part VIII and QuikChem® Method 12-115-01-1-N   |
|                                  | Cation Exchange Capacity (C.E.C)   | MS 678:Pt. to V:1980, Part V  |

Scan this QR Code or visit <https://accreditation.ism.gov.my/public/listing/cab/samm-ct/3003880> for the current scope of accreditation

# Schedule

Issue date: 26 March 2025  
Valid Until: -



NO: SAMM 214

Page: 3 of 6

| <b>Material / Product Tested</b> | <b>Type Of Test / Properties Measured / Range Of Measurement</b> | <b>Standard Test Methods / Equipment / Techniques</b>  |
|----------------------------------|--|--|
|                                  | Cation Exchange Capacity (C.E.C)                                 | In-house Method, S7, Based on MS 678:Pt. to V:1980, Part V and QuikChem® Method 13-107-06-2-D      |
|                                  | Total Exchangeable Bases:<br>Potassium (K)                       | MS 678:Pt. to V:1980, Part IV (Flame photometry)   |
|                                  | Total Exchangeable Bases:<br>Potassium (K)                       | In-house Method, S8, Based on MS 678:Pt. to V:1980, Part IV and QuikChem® Method 12-119-03-1-C     |
|                                  | Sodium (Na)  | In-house Method, S9, Based on MS 678:Pt. to V:1980, Part IV  |
|                                  | Calcium (Ca)   | MS 678:Pt. to V:1980, Part IV (Atomic Absorption Spectrophotometry)                                |
|                                  | Magnesium (Mg)   | MS 678:Pt. to V:1980, Part IV (Atomic Absorption Spectrophotometry)                                |
|                                  | Determination of Particle Size                                   | Part 2: MS 1056 2013 Section 10.2  |
|                                  | Mechanical Analysis (Clay, Silt, Fine & Coarse Sand)             | In-house Method, Ref. No. S1, Based on The Bouyoucos Hydrometer Method for Particle Size Analysis, |
|                                  | Arsenic (As)   | None   |
|                                  | Determination of Electrical Conductivity in Soil Sample          | In-House Method P702-07 base on MS 2458:2012   |
|                                  | Moisture Content Test - Oven Drying Method                       | MS 1056: Part 2: 2005  |
|                                  | Liquid Limit Test - Casagrande Method                            | MS 1056: Part 2: 2005  |
|                                  | Liquid Limit Test - Cone Penetrometer Method                     | MS 1056: Part 2: 2005  |
|                                  | Plastic Limit Test   | MS 1056: Part 2: 2005  |
|                                  | Plasticity Index   | MS 1056: Part 2: 2005  |
|                                  | Linear Shrinkage   | MS 1056: Part 2: 2005  |
|                                  | Specific Gravity- Small Pyknometer Method                        | MS 1056: Part 2: 2005  |
|                                  | Particle Size Distribution -" Wet Sieving Method                 | MS 1056: Part 2: 2005  |
|                                  | Sedimentation -" Hydrometer Method                               | MS 1056: Part 2: 2005  |
|                                  | Compaction Test  | MS 1056: Part 4: 2005 (Clause 4.2, 4.5, 4.6)   |
|                                  | Determination of pH value  | BS 1377 : Part 3: 1990, Clause 9   |
|                                  | Determination of chloride content                                | BS 1377 : Part 3: 1990, Clause 7   |
|                                  | Determination of sulphate content                                | BS 1377 : Part 3: 1990, Clause 5 (Gravimetric)   |

Scan this QR Code or visit <https://accreditation.ism.gov.my/public/listing/cab/samm-ct/3003880> for the current scope of accreditation

## Schedule

Issue date: 26 March 2025  
 Valid Until: -



NO: SAMM 214

Page: 4 of 6

| <b>Material / Product Tested</b> | <b>Type Of Test / Properties Measured / Range Of Measurement</b>   | <b>Standard Test Methods / Equipment / Techniques</b>                                   |
|----------------------------------|--|---|
|                                  | Determination of organic matter content                            | BS 1377 : Part 3: 1990, Clause 3  |
|                                  | Determination of moisture content                                  | BS 1377 : Part 2: 1990, Clause 3.2  |
|                                  | Determination of particle size distribution                        | BS 1377 : Part 2: 1990, Clause 9.3  |
|                                  | Determination of In-situ Density and Moisture Content              | Soils for Civil Engineering Purposes, BS 1377:1990, Part 9: Clause 2.1-Sand Replacement |
|                                  | Determination of In-situ Density and Moisture Content              | Soils for Civil Engineering Purposes, BS 1377:1990,                                     |
|                                  | Moisture Content   | BS 1377: Part 2: 1990, Clause 3.2.4   |
|                                  | Moisture Content   | BS 1377: Part 2: 1990, Clause 3.2   |
|                                  | Particle Size Distribution   | BS 1377: Part 4: 1990, Clause 9.5   |
|                                  | Field Density Test: Core Cutter                                    | BS 1377: Part 9: 1990, Clause 2.4   |
|                                  | Determination of Moisture  | BS 1377:Part 2:1990 Clause 3.2  |
|                                  | Particle Size Distribution   | BS 1377: Part 2: 1990, Clause 9.2 & 9.3   |
|                                  | Moisture Content   | BS 1377: Part 2: 1990, Clause 3.2   |
|                                  | California Bearing Ratio (Soaked)                                  | BS 1377: Part 4: 1990, Clause 7   |
|                                  | Dry Density / Moisture Content Relationship (4.5 kg Rammer Method) | BS 1377: Part 4: 1990, Clause 3.6   |
|                                  | Liquid Limit (Casagrande Apparatus Method)                         | BS 1377: Part 2: 1990, Clause 4.5   |
|                                  | None   | Part 2: BS 1377 1990, Clause 5.3 & 5.4  |
|                                  | Dry Density / Moisture Content                                     | Part 4: MS 1056 2005, Clause 4.5 & 4.6  |
|                                  | Dry Sieving Method   | MS 1056 Part 2 : 2005, Clause 10.3 Part 2 : 1990, Clause 9.3 BS 1377                    |
|                                  | Determination of Moisture Content                                  | BS 1377: Part 2: 1990 Clause 3.2  |
|                                  | Moisture Content   | BS 1377 Part 2: 1990 : Clause 3.2   |
|                                  | Liquid Limit (Cone Penetrometer Method)                            | BS 1377 Part 2: 1990 : Clause 4.3   |
|                                  | In-situ Density Test by Sand                                       | None  |
|                                  | pH   | MS 2457: 2012   |
|                                  | Electrical Conductivity  | MS 2458: 2012   |
|                                  | Available Phosphorus   | In-house method S07 based on Bray & Kurtz, 1945 & ICP-OES                               |
|                                  | Total Nitrogen   | MS ISO 13878: 2014  |
|                                  | Total Phosphorus   | In-house method S13 based on EPA Method 3050B & ICP-OES                                 |
|                                  | Determination of Particle Density (Small Pyknometer Method)        | BS 1377:1990 Part 2, Clause 8.3   |
|                                  | Determination of Particle Size Distribution (Dry Sieving Method)   | BS 1377:1990 Part 2, Clause 9.3   |

Scan this QR Code or visit <https://accreditation.ism.gov.my/public/listing/cab/samm-ct/3003880> for the current scope of accreditation

## Schedule

Issue date: 26 March 2025  
 Valid Until: -



NO: SAMM 214

Page: 5 of 6

| Material / Product Tested | Type Of Test / Properties Measured / Range Of Measurement                            | Standard Test Methods / Equipment / Techniques   |
|---------------------------|--|--|
|                           | Determination of Particle Size Distribution (Wet Sieving Method)                     | BS 1377:1990 Part 2, Clause 9.2                  |
|                           | Determination of Particle Size   | None   |
|                           | Determination of Water Content   | BS 1377: Part 2                                  |
|                           | Determination of pH value of fine  | BS 1377-3: 2018                                  |
|                           | Determination of Soil pH   | MS 678: Part - V: Part I, Soil pH:               |
|                           | None   | None   |
|                           | Total Recoverable Elements   | USEPA 200.2 Rev. 2 : 8 EMMC                      |
|                           | Chloride   | MS 678: Part VI to                               |
|                           | In-situ Density Test   | BS 1377: Part 9:1990 Clause 2.1                  |
|                           | Moisture Content   | BS EN ISO 17892-1:2014                           |
|                           | Particle Size Distribution -" Wet  | BS EN ISO 17892-4:2016                           |
|                           | Arsenic, Mercury, Cadmium,   | EPA 3050 B                                       |
|                           | Loss on Ignition   | BS 1377 part 3: 1990 (Clause 4)                  |
|                           | Carbonate  | BS 1377 Part 3: 1990 (Clause 6.3)                |
|                           | Moisture Content   | BS 1377-1: 2016                                  |
|                           | In-situ California Bearing Ratio (CBR)   | BS 1377 : Part 9 : 1990 Clause 4.3               |
|                           | Moisture Content   | BS 1377-1: 2016                                  |
|                           | In-situ California Bearing Ratio (CBR)   | BS 1377 : Part 9 : 1990 Clause 4.3               |
|                           | pH Value   | BS 1377-3:1990:9.5                               |
|                           | None   | None   |
|                           | Aluminum (Al)  | USEPA 200.2, Revision 2.8, 1994                  |
|                           | Particle Size Distribution (gravel,  | In House Method 0588 based on                    |
|                           | Determination of Particle Size Distribution for Soils                                | BS 1377: Part 2: 1990 Clause 9                   |
|                           | Determination of Moisture Content  | BS 1377: Part 2: 1990 Clause 3.2                 |
|                           | Determination of the Liquid Limit (Casagrande apparatus method)                      | BS 1377: Part 2: 1990 Clause 4.5                 |
|                           | Determination of the Plastic Limit and Plasticity Index                              | BS 1377: Part 2: 1990 Clause 5                   |
|                           | Determination of dry density/moisture content relationship (Rammer Method)           | BS 1377: Part 4: 1990 Clause 3.3, 3.4, 3.5 & 3.6 |
|                           | Determination of dry density/moisture content relationship (Vibrating Hammer Method) | BS 1377: Part 4: 1990 Clause 3.7                 |
|                           | Determination of soil density test   | BS 1377: Part 2: 1990 Clause 7                   |
|                           | Determination of The Moisture  | BS 1377: Part 2:1990: Method 3.2                 |
|                           | Determination of In-Situ Density   | BS 1377: Part 9: 1990                            |
|                           | Determination of The Moisture  | BS 1377: Part 2:1990: Method 3.2                 |
|                           | Toxicity characteristic leaching   | USEPA 1311: 1992                                 |
|                           | Phosphorus, P Sulphur, S   | None   |
|                           | SVOCs (Refer to Appendix 2 and 3 for   | EPA Method 3510C: 1996                           |

Scan this QR Code or visit <https://accreditation.ism.gov.my/public/listing/cab/samm-ct/3003880> for the current scope of accreditation

# Schedule

Issue date: 26 March 2025  
Valid Until: -



NO: SAMM 214

Page: 6 of 6

| Material / Product Tested                                    | Type Of Test / Properties Measured / Range Of Measurement    | Standard Test Methods / Equipment / Techniques                    |
|--|--|---|
|  | Determination of Moisture Content                            | BS 1377:2:1990, Clause 3.2 MS 1056:2:2005, Clause 4.2             |
|  | Determination of Density                                     | BS 1377:2:1990, Clause 7.2 MS 1056:2:2005, Clause 8.2             |
|  | Linear Shrinkage   | BS 1377:2:1990, Clause 6.5 MS 1056:2:2005, Clause 7.5             |
|  | Determination of Particle Density                            | BS 1377:2:1990, Clause 8.3 MS 1056:2:2005, Clause 9.3             |
|  | Determination of Liquid Limit Using Casagrande Method        | BS 1377:2:1990, Clause 4.5 & 4.6 MS 1056:2:2005, Clause 5.5 & 5.6 |
|  | Determination of Liquid Limit Using Cone Penetrometer Method | BS 1377:2:1990, Clause 4.3 & 4.4 MS 1056:2:2005, Clause 5.3 & 5.4 |
|  | Determination of the Plastic Limit                           | BS 1377:2:1990, Clause 5  |
|  | Maximum dry density / Moisture content relationship          | BS 1377: Part 4: 1990   |
|  | Shear Strength Test without                                  | None  |
|  | The laboratory Vane e  | BS 1377: Part 7: 1990: Clause 3                                   |
|  | Field Density Test (Sand Replacement Method)                 | BS 1377: Part 9:1990 Clause 2.1                                   |
|  | Plastic limit test   | Test instruction reference to BS                                  |
|  | Moisture content   | BS1377-2, Clause 4.1  |
| Straight Fertilizers Fertilizer Mixture Fertilizer Compounds | Method of Sample Preparation<br>Moisture                     | MS 417: Part 1 (5): 1994 MS 417: Part 2: 1994 Oven Method         |
| Surface Water And Waste Water                                | pH Total Solids  | APHA 4500 H*B APHA 2540 B   |

Scan this QR Code or visit <https://accreditation.ism.gov.my/public/listing/cab/samm-ct/3003880> for the current scope of accreditation