

Schedule

Issue date: 26 March 2025
Valid Until: -



NO: SAMM 441

Page: 1 of 4

LABORATORY LOCATION/ CENTRAL OFFICE:	HG Solution Sdn Bhd No. 10, Jalan P10/19 Seksyen 10, Taman Industri Selaman 43650 Bandar Baru Bangi, Selangor , 43650, TERENGGANU MALAYSIA
	
ACCREDITED SINCE :	26 MARCH 2025
FIELD(S) OF TESTING:	CHEMICAL

This laboratory has demonstrated its technical competence to operate in accordance with MS ISO/IEC 17025:2017 (ISO/IEC 17025:2017).

This laboratory's fulfillment of the requirements of ISO/IEC 17025 means the laboratory meets both the technical competence requirements and management system requirements that are necessary for it to consistently deliver technically valid test results and calibrations. The management system requirements in ISO/IEC 17025 are written in language relevant to laboratory operations and operate generally in accordance with the principles of ISO 9001 (see Joint ISO-ILAC-IAF Communiqué dated April 2017).

CENTRAL LOCATION:	HG Solution Sdn Bhd No. 10, Jalan P10/19 Seksyen 10, Taman Industri Selaman 43650 Bandar Baru Bangi, Selangor , 43650, Terengganu
FIELD(S) OF TESTING :	CHEMICAL,

SCOPE OF TESTING : CHEMICAL

Material / Product Tested	Type Of Test / Properties Measured / Range Of Measurement	Standard Test Methods / Equipment / Techniques
(light & Heavy)	NoneASTM D7623-10(2015) None	None
1. Liquid Hydrocarbons	Total mercuryUOP 938-20 Total mercury	Total mercury
2. Gas	Total mercuryD5954-98(2014) Total mercury	Total mercury
3. Liquid And Solid	Total mercuryIn-house method IH-938-7473-09 Total mercury	Total mercury
Petroleum And Petroleum	NoneNone None	None
	None	None

Schedule

Issue date: 26 March 2025
Valid Until: -



NO: SAMM 441

Page: 2 of 4

Material / Product Tested	Type Of Test / Properties Measured / Range Of Measurement	Standard Test Methods / Equipment / Techniques
Products	NoneNone	None
	None	
	None	None
	Ultimate Tensile Strength e	(ref no: QA/METAL/05)
	None	None
	Monosodium Glutamate	F024 by HPLC Fluorescence
	None	None
	None	None
	None	None
	None	None
	None	None
	None	None
	Aerobic Plate Count	None
	Total Coliform Count	FDA-BAM, Ed, Chap 4
	Fecal Coliform	None
	Salmonella spp.	FDA-BAM, Ed, Chap 5
	- Sulphate	BS 1377, 1990-Part 3 Section 5
	- pH Value	BS 1377, 1990-Part 3 Section 9
	- Loss on Ignition	BS 1377, 1990-Part 3 Section 4
	Average Grain Size Measurement	Method)
	- Rockwell Method	ASTM E18: 20
	Break Test (Filled Weld)	None
	Properties Measured /	Method/
	Total Plate Count	Plating
	Coliform	Determination of Coliform & E.coli
	Escherichia Coli	(Pour Plate Method) - AOAC
	Escherichia Coli	performance tested. Certificate no.
	Escherichia Coli	020902
	Coliform	AOAC 998.08. Edition,
	Escherichia Coli (Petrifilm)	2019/Petrifilm
	Staphylococcus Aureus (Petrifilm)	AOAC 2003.11. 21% Edition,
	Staphylococcus Aureus (Petrifilm)	2019/Petrifilm
	Salmonella (Petrifilm)	AOAC 2014.01. 21% Edition,
	Salmonella	2019/Petrifilm
	(Alpha Tocopherol, Alpha Tocotrienol,	FDA BAM Chapter 5. 2020;
	Beta Tocotrienol, Gamma Tocotrienol,	70, No. 12, December 1993/HPLC
	Delta Tocotrienol)	None
	Phytosterols Content	None
	(Sitosterol, Stigmasterol)	EvTM_0008/HPLC
	Plant Squalene	None
	Solvent Residue	EvTM_0007/HPLC
	(Hexane, Ethyl Acetate, Methanol,	EvTM_0005/GC Headspace
	Isopropanol, Dichloromethane,	None
	Ethanol)	None
	Benzo A Pyrene	None
		EvTM_0004, Based on AOCS Cd

Schedule

Issue date: 26 March 2025
Valid Until: -



NO: SAMM 441

Page: 3 of 4

Material / Product Tested	Type Of Test / Properties Measured / Range Of Measurement	Standard Test Methods / Equipment / Techniques
	Benzo A Pyrene	21 - 91, 5 th Edition (2003)
	Moisture	AOCS Ca 2e - 84, Edition (2003)
	Moisture	(2003)
	Mixed Carotene	None
	Mixed Carotene	EvTM_0150/HPLC
	Solvent Residue	EvTM_0151/GC-HS
	(Hexane, Ethyl Acetate, Methanol, Isopropanol, Dichloromethane, Ethanol)	None
	Moisture	AOCS Ca 2e - 84, Edition (2003)
	Moisture	(2003)
	None	None
	2,6-Di-Tert-Butyl Hydroxytoluene	EvTM_0049/GC
	Tocotrienol, Beta Tocotrienol, Gamma Tocotrienol, Delta Tocotrienol)	1993/HPLC
	Benzo A Pyrene	EvTM_0114, Based on AOCS Cd 21-91, 5th Edition (2003)
	Mixed Carotene	EvTM_0115/HPLC
	Mixed Carotene	EvTM_0116/UV-VIS
	Lycopene Content	EvTM_0118/UV-VIS
	Plant Squalene	EvTM_0124/HPLC
	Phytosterols Content (Sitosterol, Stigmasterol)	EvTM_0125/HPLC
	Solvent Residue (Hexane, Ethyl Acetate, Methanol, Isopropanol, Dichloromethane, Ethanol)	EvTM_0126/GC HS
	Moisture	None
	Moisture	AOCS Ca 2e - 84, Edition (2003)
	Total Aerobic Microbial Count	XVI B
	Total Combined Yeasts/ Moulds Count	BP 2020/Volume XVI B
	Coliform Count	FDA BAM Chapter 4, 2020
	Bile-Tolerant Gram-Negative Bacteria	BP 2020/Volume XVI B
	Detection of Specific Microorganism	BP 2020/Volume
	Pseudomonas aeruginosa	IV/Appendix XVI B
	Staphylococcus aureus	None
	Escherichia coli	None
	Salmonella spp	None
	Total Aerobic Microbial Count	XVI B
	Total Combined Yeasts/ Moulds Count	BP 2020/Volume XVI B
	Coliform Count	FDA BAM Chapter 4, 2020
	Bile-Tolerant Gram-Negative Bacteria	BP 2020/Volume XVI B

Schedule

Issue date: 26 March 2025
Valid Until: -



NO: SAMM 441

Page: 4 of 4

Material / Product Tested	Type Of Test / Properties Measured / Range Of Measurement	Standard Test Methods / Equipment / Techniques
	Detection of Specific Microorganism	BP 2020/Volume
	Pseudomonas aeruginosa	XVI B
	Staphylococcus aureus	None
	Escherichia coli	None
	Salmonella spp	None
	None	spp. by Real-Time PCR (qPCR) -" SYBR
	None	None
	None	in Soybean by real-Time PCR (qPCR)
	None	DNA (Universal Plant) by Real-Time
	Free Fatty Acids	None
	Moisture and Volatile Matter Hot	AOCS Ca 2b-38 (1997)
	Plate Method	None
	Insoluble Impurities	AOCS Ca 3a-46 (1997)
	Iodine Value of Fats and Oils	None
	Cyclohexane-Acetic Acid	AOCS Cd 1d-92 (1997)
	Method	None
	Slip Melting Point	None
	AOCS Standard Open Tube	AOCS Cc 3-25 (1997)
	Melting Point	None
	Color	AOCS Cc (1997)

Scan this QR Code or visit <https://accreditation.ism.gov.my/public/listing/cab/samm-ct/3003992> for the current scope of accreditation