

# Schedule

Issue date: 06 April 2025  
Valid Until: -



NO: SAMM 454

Page: 1 of 3

<b>LABORATORY LOCATION/ CENTRAL OFFICE:</b>	Analytical Laboratory, Duopharma Innovation Sdn. Bhd. No.2 Jalan Saudagar U1/16 Section U1 HICOM Glenmarie Industrial Park, 40150 Shah Alam, Selangor , 40150, SELANGOR MALAYSIA
	
<b>ACCREDITED SINCE :</b>	06 APRIL 2025
<b>FIELD(S) OF TESTING:</b>	CHEMICAL

This laboratory has demonstrated its technical competence to operate in accordance with MS ISO/IEC 17025:2017 (ISO/IEC 17025:2017).

This laboratory's fulfillment of the requirements of ISO/IEC 17025 means the laboratory meets both the technical competence requirements and management system requirements that are necessary for it to consistently deliver technically valid test results and calibrations. The management system requirements in ISO/IEC 17025 are written in language relevant to laboratory operations and operate generally in accordance with the principles of ISO 9001 (see Joint ISO-ILAC-IAF Communiqué dated April 2017).

<b>CENTRAL LOCATION:</b>	Analytical Laboratory, Duopharma Innovation Sdn. Bhd. No.2 Jalan Saudagar U1/16 Section U1 HICOM Glenmarie Industrial Park, 40150 Shah Alam, Selangor , 40150, Selangor
<b>FIELD(S) OF TESTING :</b>	CHEMICAL,

## SCOPE OF TESTING : CHEMICAL

Material / Product Tested	Type Of Test / Properties Measured / Range Of Measurement	Standard Test Methods / Equipment / Techniques
(continued)	None	None
	Ammoniacal Nitrogen	APHA B&F, Edition (Clause 11.5 and 11.6)
	None	None
	moisture content relationship	BS 1377:1990, Part 4, Clause 3
	compressive strength	BS 1377:1990, Part 7, Clause 7.2
	distribution: wet sieving, dry	BS 1377:1990, Part 2, Clause 9.2,
	number of a soil	Equipment: glass beaker, test tube
	test	None
	Power frequency magnetic field	IEC 61000-4-8:2009

# Schedule

Issue date: 06 April 2025  
Valid Until: -



NO: SAMM 454

Page: 2 of 3

Material / Product Tested	Type Of Test / Properties Measured / Range Of Measurement	Standard Test Methods / Equipment / Techniques
	11. Determination of Viscosity	In-house ESL QPL A011
	None	None
	Boron (as % B <sub>2</sub> O <sub>3</sub> )	In-house Method P02-10 based on and Management unit PORIM pg.31
	None	1994
	None	None
	Seal Degradation Test	AS/NZS 4284: 2008 (Clause 8.10)
	Seismic and Wind Induced Inter	AAMA 501.4-2018 (Clause 7.0)
	None	None
	Escherichia coli	APHA 9221.F (MPN) APHA 9222.H (Membrane Filter)
	Fecal Streptococci	APHA 9230.C (Membrane Filter)
	Clostridium perfringens	HPA NSM WS5 Issue 3 (Membrane Filter)
	Pseudomonas aeruginosa	APHA 9213.E (Membrane Filter)
	Sulphite reducing anaerobes	ISO 6461-2:1986 (Membrane Filter)
	penetration)	None
	Dynamic Water Penetration Test	AAMA 501.1-17
	Seal Degradation Test	AS/NZS 4284:2008
	Seismic and Wind Induced Inter	AAMA 501.4-2009
	None	ASTM E330/ E330M-14
	of Transparent and Opaque Liquids	None
	Smoke Point	ASTM D1322
	Determination of Calcium	MS 679: Part - V: Part IV, Clause 5,
	Force at Break(0-500N)	None
	Elongation at break (0 -" 1000%)	None
	None	ASTM E 190:2014
	a. Vickers (HvN)	ASTM E384-2017
	Nitrofurans residues:	In-house Method, Ref. No. MOH D03-
	None	DIN ISO 34-1:2016 AS 1683.12: 2001 (2018)
	Abrasion Resistance	ASTM D5963-04 (2019) (Method A) ISO 4649: 2017 (Method A) DIN ISO 4649:2014 (Method A)
	DC to 1 kHz	(of reading) 0.0035 Q
	at Frequency: 2.5 MHz to 1.3 GHz	(of reading)

Scan this QR Code or visit <https://accreditation.ism.gov.my/public/listing/cab/samm-ct/3004050> for the current scope of accreditation

# Schedule

Issue date: 06 April 2025  
Valid Until: -



NO: SAMM 454

Page: 3 of 3

Material / Product Tested	Type Of Test / Properties Measured / Range Of Measurement	Standard Test Methods / Equipment / Techniques
	1 kHz	0.000048 nF
	100 Q DC to 1 kHz	0.023 Q
	None	0.5 bar
	None	None
	Liquid Limit	None
	None	None
	None	None
	None	None
Capsule	Disintegration Test	BP 2021, App. XII A, 1, (Test A)
	Uniformity of Weight	In-house Method SOP-0217-3004
	Betamethasone 17-valerate	by UHPLC
Containers)	None	None
	None	None
Drugs And Pharmaceuticals	None	None
	None	None
	Vitamin E (as alpha tocopherol)	MY/STP/404 based on ISO
	Tocotrienols (a-tocotrienol, B-	
	Uniformity of Weight (Mass)	BP 2023, Appendix XII C. 1
	Deliverable Volume	USP NF 2023
Injectable Solutions E	None	None
	pH	USPNF 2021
Multiple-unit	None	None
	None	None
Oral Liquids	Deliverable Volume	USPNF 2021
	Weight per mL @ 25°C	BP App V G General Monograph
Oral Liquids E	None	None
	None	None
Powders	None	None
	None	None
Powders (for	None	None
	None	None
Raw Material	None	None
Raw Material Liquids	None	None
Reconstituted Oral	None	None
Reconstituted Oral E	None	None
	None	None
Tablet	None	None
	None	Pour Plate Method Page V-A500
	None	None
	Total Yeast Mould Count	Appendix F1
Tablet, Capsule E	Uniformity of Weight (Mass)	BP 2021, App. XII C,1

Scan this QR Code or visit <https://accreditation.ism.gov.my/public/listing/cab/samm-ct/3004050> for the current scope of accreditation