


Schedule

Issue date: 06 April 2025
Valid Until: -



NO: SAMM 526

Page: 1 of 2

LABORATORY LOCATION/ CENTRAL OFFICE:	PrimaBaguz Foods Sdn. Bhd. No. 16 & 18, Jalan P10/13, 43650 Bandar Baru Bangi, Selangor , 43650, SELANGOR MALAYSIA
	
ACCREDITED SINCE :	06 APRIL 2025
FIELD(S) OF TESTING:	MICROBIOLOGY

This laboratory has demonstrated its technical competence to operate in accordance with MS ISO/IEC 17025:2017 (ISO/IEC 17025:2017).

This laboratory's fulfillment of the requirements of ISO/IEC 17025 means the laboratory meets both the technical competence requirements and management system requirements that are necessary for it to consistently deliver technically valid test results and calibrations. The management system requirements in ISO/IEC 17025 are written in language relevant to laboratory operations and operate generally in accordance with the principles of ISO 9001 (see Joint ISO-ILAC-IAF Communiqué dated April 2017).

CENTRAL LOCATION:	PrimaBaguz Foods Sdn. Bhd. No. 16 & 18, Jalan P10/13, 43650 Bandar Baru Bangi, Selangor , 43650, Selangor
FIELD(S) OF TESTING :	MICROBIOLOGICAL,

SCOPE OF TESTING : MICROBIOLOGY

Material / Product Tested	Type Of Test / Properties Measured / Range Of Measurement	Standard Test Methods / Equipment / Techniques
Meat And Meat Products	Total plate count	AS 1766.2.1 (1991)
	None	None
	None	None
	None	None
	None	None
	None	None
	None	None
	None	981.12 & 943.02
	Glucose	None
	None	None
	None	None
	None	based on Bacteriological Analytical
	Nitrofurantoin Metabolites	In-House Method, Ref No

Schedule

Issue date: 06 April 2025
Valid Until: -



NO: SAMM 526

Page: 2 of 2

Material / Product Tested	Type Of Test / Properties Measured / Range Of Measurement	Standard Test Methods / Equipment / Techniques
	Sulphadimidine	Leo M.L Nolleti, Liquid-Liquid
	Total Plate Count	In-house method LWM 3 based on
	Total Plate Count	In-house method LWM 3 based on
	Beta Agonist	In-House No. M18 (Based on Direct
	Tetracycline	In-House Method SOP-0217-1021
	Moisture	AOAC 950.46
	Beta-agonist (B-agonist)	In-house method SGS-TM-FOOD-
	None	None
	Fat	In-house method, Ref. No. MOH:
	DNA Extraction	In-house Method, Ref. No. MOH G03-
Poultry And Poultry Products	Total plate count	AS 1766.2.1 (1991)
	None	None
	None	None
	None	None
	Enterobacteriaceae	CMMEF, Chapter 9 (2015)

Scan this QR Code or visit <https://accreditation.ism.gov.my/public/listing/cab/samm-ct/3004075> for the current scope of accreditation