

# Schedule

Issue date: 06 April 2025  
Valid Until: -



NO: SAMM 635

Page: 1 of 6

<b>LABORATORY LOCATION/ CENTRAL OFFICE:</b>	Laboratory Analytical Section, Genting Plantations Berhad Genting Plantations Research Centre Tebong, Alor Gajah, 75990 Alor Gajah, Melaka , 75990, MELAKA MALAYSIA
<b>ACCREDITED SINCE :</b>	06 APRIL 2025
<b>FIELD(S) OF TESTING:</b>	CHEMICAL

This laboratory has demonstrated its technical competence to operate in accordance with MS ISO/IEC 17025:2017 (ISO/IEC 17025:2017).

This laboratory's fulfillment of the requirements of ISO/IEC 17025 means the laboratory meets both the technical competence requirements and management system requirements that are necessary for it to consistently deliver technically valid test results and calibrations. The management system requirements in ISO/IEC 17025 are written in language relevant to laboratory operations and operate generally in accordance with the principles of ISO 9001 (see Joint ISO-ILAC-IAF Communiqué dated April 2017).

<b>CENTRAL LOCATION:</b>	Laboratory Analytical Section, Genting Plantations Berhad Genting Plantations Research Centre Tebong, Alor Gajah, 75990 Alor Gajah, Melaka , 75990, Melaka
<b>FIELD(S) OF TESTING :</b>	CHEMICAL,

## SCOPE OF TESTING : CHEMICAL

<b>Material / Product Tested</b>	<b>Type Of Test / Properties Measured / Range Of Measurement</b>	<b>Standard Test Methods / Equipment / Techniques</b>
Compost	Sample Preparation	In-house Method, CO, Based on MS 677:Pt. I-VIII:1980, Part
	Ashing	In-house Method, C1, Based on MS 677:Pt. I-VIII:1980, Part II
	Moisture	In-house Method, C2, Based on MS 417:Part 2:1994
	pH	MS 2457:2012
	Organic Carbon	In-house Method, C3, Based on MS 2469:2012
	Organic Nitrogen (as N)	In-house Method, C4, Based on MS 678:Pt I-V:1980, Part II (Distillation Method) and MS 417:Part 3:2020

# Schedule

Issue date: 06 April 2025  
Valid Until: -



NO: SAMM 635

Page: 2 of 6

<b>Material / Product Tested</b>	<b>Type Of Test / Properties Measured / Range Of Measurement</b>	<b>Standard Test Methods / Equipment / Techniques</b>
	Total Phosphorus (as P2Os) Total Potassium (as K2O) Total Magnesium (as MgO) Total Boron (as B2Os) Total Copper (as CuO)	MS 677:Pt-VIII:1980, Part IV MS 677:Pt-VIII:1980, Part V MS 677:Pt-VIII:1980, Part VII In-house Method, C5, Based on MS 677:Pt I-VIII:1980, Part II and MS 417:Part 7:2020 (Carmine Method) In-house Method, C6, Based on MS 677:Pt I-VIII:1980, Part II and Manual of Laboratory Methods of Plant Analysis 1970, Rubber Research Institute of Malaya, Part
Effluent (pome)	Biochemical Oxygen Demand (BOD)	DOE Method:2019, Edition 4, Alternative Method
Mixtures/ Compounds Fertilizer	Total Nitrogen (as N) Total Nitrogen (as N) None	In house Method, F5, Based on MS 678:Pt. I-V:1980, Part II and MS 417:Part 3:2020 (Distillation Method) In-house Method, F6, Based on MS 678:Pt. I-V:1980, Part II and QuikChem® Method 13-107-06-2-D MS 417:Part 4:2020
Plant	Ash Manganese (Mn) Sample Preparation for Plant N Fe Preparation of Leaves for Ash	MS 677:Pt. I-VIII:1980, Part II In-house Method, P3, Based on In-house Method, Ref. No. P5, n-house Method PBL/LTM/P1, In-house Method PBL/LTM/P9, MS 677: Pt I - VIII: Part I: 1980 MS 677: Part II: 1980
Soil	Clay, Silt, Fine Sand & Phosphorus (total) Phosphorus (total) Cation Exchange Capacity (C.E.C) Cation Exchange Capacity (C.E.C) Total Exchangeable Bases: Potassium (K) Total Exchangeable Bases: Potassium (K)	In-house Method, S1, Based on In-house Method, S5, Based on MS 678:Pt. VI to IX:1980, Part VIII In-house Method, S6, Based on MS 678:Pt. VI to IX:1980, Part VIII and QuikChem® Method 12-115-01-1-N MS 678:Pt. to V:1980, Part V In-house Method, S7, Based on MS 678:Pt. to V:1980, Part V and QuikChem® Method 13-107-06-2-D MS 678:Pt. to V:1980, Part IV (Flame photometry) In-house Method, S8, Based on MS 678:Pt. to V:1980, Part IV and QuikChem® Method 12-119-03-1-C

Scan this QR Code or visit <https://accreditation.ism.gov.my/public/listing/cab/samm-ct/3004113> for the current scope of accreditation

# Schedule

Issue date: 06 April 2025  
Valid Until: -



NO: SAMM 635

Page: 3 of 6

<b>Material / Product Tested</b>	<b>Type Of Test / Properties Measured / Range Of Measurement</b>	<b>Standard Test Methods / Equipment / Techniques</b>
	Sodium (Na)	In-house Method, S9, Based on MS 678:Pt. to V:1980, Part IV
	Calcium (Ca)	MS 678:Pt. to V:1980, Part IV (Atomic Absorption Spectrophotometry)
	Magnesium (Mg)	MS 678:Pt. to V:1980, Part IV (Atomic Absorption Spectrophotometry)
	Determination of Particle Size	Part 2: MS 1056 2013 Section 10.2
	Mechanical Analysis (Clay, Silt, Fine & Coarse Sand)	In-house Method, Ref. No. S1, Based on The Bouyoucos Hydrometer Method for Particle Size Analysis,
	Arsenic (As)	None
	Determination of Electrical Conductivity in Soil Sample	In-House Method P702-07 base on MS 2458:2012
	Moisture Content Test - Oven Drying Method	MS 1056: Part 2: 2005
	Liquid Limit Test - Casagrande Method	MS 1056: Part 2: 2005
	Liquid Limit Test - Cone Penetrometer Method	MS 1056: Part 2: 2005
	Plastic Limit Test	MS 1056: Part 2: 2005
	Plasticity Index	MS 1056: Part 2: 2005
	Linear Shrinkage	MS 1056: Part 2: 2005
	Specific Gravity- Small Pyknometer Method	MS 1056: Part 2: 2005
	Particle Size Distribution -" Wet Sieving Method	MS 1056: Part 2: 2005
	Sedimentation -" Hydrometer Method	MS 1056: Part 2: 2005
	Compaction Test	MS 1056: Part 4: 2005 (Clause 4.2, 4.5, 4.6)
	Determination of pH value	BS 1377 : Part 3: 1990, Clause 9
	Determination of chloride content	BS 1377 : Part 3: 1990, Clause 7
	Determination of sulphate content	BS 1377 : Part 3: 1990, Clause 5 (Gravimetric)
	Determination of organic matter content	BS 1377 : Part 3: 1990, Clause 3
	Determination of moisture content	BS 1377 : Part 2: 1990, Clause 3.2
	Determination of particle size distribution	BS 1377 : Part 2: 1990, Clause 9.3
	Determination of In-situ Density and Moisture Content	Soils for Civil Engineering Purposes, BS 1377:1990, Part 9: Clause 2.1-Sand Replacement
	Determination of In-situ Density and Moisture Content	Soils for Civil Engineering Purposes, BS 1377:1990,

Scan this QR Code or visit <https://accreditation.ism.gov.my/public/listing/cab/samm-ct/3004113> for the current scope of accreditation

## Schedule

Issue date: 06 April 2025  
Valid Until: -



NO: SAMM 635

Page: 4 of 6

Material / Product Tested	Type Of Test / Properties Measured / Range Of Measurement	Standard Test Methods / Equipment / Techniques
	Moisture Content	BS 1377: Part 2: 1990, Clause 3.2.4
	Moisture Content	BS 1377: Part 2: 1990, Clause 3.2
	Particle Size Distribution	BS 1377: Part 4: 1990, Clause 9.5
	Field Density Test: Core Cutter	BS 1377: Part 9: 1990, Clause 2.4
	Determination of Moisture	BS 1377:Part 2:1990 Clause 3.2
	Particle Size Distribution	BS 1377: Part 2: 1990, Clause 9.2 & 9.3
	Moisture Content	BS 1377: Part 2: 1990, Clause 3.2
	California Bearing Ratio (Soaked)	BS 1377: Part 4: 1990, Clause 7
	Dry Density / Moisture Content Relationship (4.5 kg Rammer Method)	BS 1377: Part 4: 1990, Clause 3.6
	Liquid Limit (Casagrande Apparatus Method)	BS 1377: Part 2: 1990, Clause 4.5
	None	Part 2: BS 1377 1990, Clause 5.3 & 5.4
	Dry Density / Moisture Content	Part 4: MS 1056 2005, Clause 4.5 & 4.6
	Dry Sieving Method	MS 1056 Part 2 : 2005, Clause 10.3 Part 2 : 1990, Clause 9.3 BS 1377
	Determination of Moisture Content	BS 1377: Part 2: 1990 Clause 3.2
	Moisture Content	BS 1377 Part 2: 1990 : Clause 3.2
	Liquid Limit (Cone Penetrometer Method)	BS 1377 Part 2: 1990 : Clause 4.3
	In-situ Density Test by Sand	None
	pH	MS 2457: 2012
	Electrical Conductivity	MS 2458: 2012
	Available Phosphorus	In-house method S07 based on Bray & Kurtz, 1945 & ICP-OES
	Total Nitrogen	MS ISO 13878: 2014
	Total Phosphorus	In-house method S13 based on EPA Method 3050B & ICP-OES
	Determination of Particle Density (Small Pyknometer Method)	BS 1377:1990 Part 2, Clause 8.3
	Determination of Particle Size Distribution (Dry Sieving Method)	BS 1377:1990 Part 2, Clause 9.3
	Determination of Particle Size Distribution (Wet Sieving Method)	BS 1377:1990 Part 2, Clause 9.2
	Determination of Particle Size	None
	Determination of Water Content	BS 1377: Part 2
	Determination of pH value of fine	BS 1377-3: 2018
	Determination of Soil pH	MS 678: Part - V: Part I, Soil pH:
	None	None
	Total Recoverable Elements	USEPA 200.2 Rev. 2 : 8 EMMC
	Chloride	MS 678: Part VI to
	In-situ Density Test	BS 1377: Part 9:1990 Clause 2.1

Scan this QR Code or visit <https://accreditation.ism.gov.my/public/listing/cab/samm-ct/3004113> for the current scope of accreditation

## Schedule

Issue date: 06 April 2025  
Valid Until: -



NO: SAMM 635

Page: 5 of 6

Material / Product Tested	Type Of Test / Properties Measured / Range Of Measurement	Standard Test Methods / Equipment / Techniques
	Moisture Content	BS EN ISO 17892-1:2014
	Particle Size Distribution -" Wet	BS EN ISO 17892-4:2016
	Arsenic, Mercury, Cadmium,	EPA 3050 B
	Loss on Ignition	BS 1377 part 3: 1990 (Clause 4)
	Carbonate	BS 1377 Part 3: 1990 (Clause 6.3)
	Moisture Content	BS 1377-1: 2016
	In-situ California Bearing Ratio (CBR)	BS 1377 : Part 9 : 1990 Clause 4.3
	Moisture Content	BS 1377-1: 2016
	In-situ California Bearing Ratio (CBR)	BS 1377 : Part 9 : 1990 Clause 4.3
	pH Value	BS 1377-3:1990:9.5
	None	None
	Aluminum (Al)	USEPA 200.2, Revision 2.8, 1994
	Particle Size Distribution (gravel,	In House Method 0588 based on
	Determination of Particle Size Distribution for Soils	BS 1377: Part 2: 1990 Clause 9
	Determination of Moisture Content	BS 1377: Part 2: 1990 Clause 3.2
	Determination of the Liquid Limit (Casagrande apparatus method)	BS 1377: Part 2: 1990 Clause 4.5
	Determination of the Plastic Limit and Plasticity Index	BS 1377: Part 2: 1990 Clause 5
	Determination of dry density/moisture content relationship (Rammer Method)	BS 1377: Part 4: 1990 Clause 3.3, 3.4, 3.5 & 3.6
	Determination of dry density/moisture content relationship (Vibrating Hammer Method)	BS 1377: Part 4: 1990 Clause 3.7
	Determination of soil density test	BS 1377: Part 2: 1990 Clause 7
	Determination of The Moisture	BS 1377: Part 2:1990: Method 3.2
	Determination of In-Situ Density	BS 1377: Part 9: 1990
	Determination of The Moisture	BS 1377: Part 2:1990: Method 3.2
	Toxicity characteristic leaching	USEPA 1311: 1992
	Phosphorus, P Sulphur, S	None
	SVOCs (Refer to Appendix 2 and 3 for	EPA Method 3510C: 1996
	Determination of Moisture Content	BS 1377:2:1990, Clause 3.2 MS 1056:2:2005, Clause 4.2
	Determination of Density	BS 1377:2:1990, Clause 7.2 MS 1056:2:2005, Clause 8.2
	Linear Shrinkage	BS 1377:2:1990, Clause 6.5 MS 1056:2:2005, Clause 7.5
	Determination of Particle Density	BS 1377:2:1990, Clause 8.3 MS 1056:2:2005, Clause 9.3
	Determination of Liquid Limit Using Casagrande Method	BS 1377:2:1990, Clause 4.5 & 4.6 MS 1056:2:2005, Clause 5.5 & 5.6

Scan this QR Code or visit <https://accreditation.ism.gov.my/public/listing/cab/samm-ct/3004113> for the current scope of accreditation

## Schedule

Issue date: 06 April 2025  
Valid Until: -



NO: SAMM 635

Page: 6 of 6

Material / Product Tested	Type Of Test / Properties Measured / Range Of Measurement	Standard Test Methods / Equipment / Techniques
	Determination of Liquid Limit Using Cone Penetrometer Method	BS 1377:2:1990, Clause 4.3 & 4.4 MS 1056:2:2005, Clause 5.3 & 5.4
	Determination of the Plastic Limit	BS 1377:2:1990, Clause 5
	Maximum dry density / Moisture content relationship	BS 1377: Part 4: 1990
	Shear Strength Test without The laboratory Vane e	None
	Field Density Test (Sand Replacement Method)	BS 1377: Part 9:1990 Clause 2.1
	Plastic limit test	Test instruction reference to BS
	Moisture content	BS1377-2, Clause 4.1
Straight Fertilizer	Moisture	MS 417:Part 2:1994
	Nitrogen (N)	In House Method, AKP/LTM-003F
	Ammoniacal Nitrogen (as N)	MS 417-3:2020, Clause 6.1 Method
	None	Spectrophotometry Method
	Total Boron (as	MS 417-7:2020, Clause 8
	Total Sulphate (as SO <sub>4</sub> )	MS 417-8:1997 (Gravimetric

Scan this QR Code or visit <https://accreditation.ism.gov.my/public/listing/cab/samm-ct/3004113> for the current scope of accreditation