


NO: SAMM 830

Page: 1 of 2

| | |
|---|---|
| LABORATORY LOCATION/ CENTRAL OFFICE: | Seraoille Testing & Services Sdn. Bhd. No. 6, Jalan Utama 2/22 Taman Perindustrian Puchong Utama 47100 Puchong, Selangor , 47100, SELANGOR MALAYSIA |
|  | |
| ACCREDITED SINCE : | 06 APRIL 2025 |
| FIELD(S) OF TESTING: | MECHANICAL |

This laboratory has demonstrated its technical competence to operate in accordance with MS ISO/IEC 17025:2017 (ISO/IEC 17025:2017).

This laboratory's fulfillment of the requirements of ISO/IEC 17025 means the laboratory meets both the technical competence requirements and management system requirements that are necessary for it to consistently deliver technically valid test results and calibrations. The management system requirements in ISO/IEC 17025 are written in language relevant to laboratory operations and operate generally in accordance with the principles of ISO 9001 (see Joint ISO-ILAC-IAF Communiqué dated April 2017).

| | |
|------------------------------|---|
| CENTRAL LOCATION: | Seraoille Testing & Services Sdn. Bhd. No. 6, Jalan Utama 2/22 Taman Perindustrian Puchong Utama 47100 Puchong, Selangor , 47100, Selangor |
| FIELD(S) OF TESTING : | MECHANICAL, |

SCOPE OF TESTING : MECHANICAL

| Material / Product Tested | Type Of Test / Properties Measured / Range Of Measurement | Standard Test Methods / Equipment / Techniques |
|-------------------------------|---|--|
| Basins = | None | None |
| Bidets - | Identification | BS EN 200:2008 (Clause 4.2) |
| Building Valves | None | None |
| Copper Alloy Stop Valves | Definition | BS EN 1213:2000 (Clause 3.0) |
| Mechanical Mixing: All Mixers | Designation Marking | BS EN 817:2008 (Clause 3.2 BS EN 817:2008 (Clause 4.1) |
| Sanitary Tapware | None | None |
| | None | None |
| Single Or Combinations | Designation | BS EN 200:2008 (Clause 3.0) |
| Sinks - | None | None |
| Taps | Marking | BS EN 200:2008 (Clause 4.1) |
| Taps: | None | None |

Schedule

Issue date: 06 April 2025
Valid Until: -



NO: SAMM 830

Page: 2 of 2

Scan this QR Code or visit <https://accreditation.ism.gov.my/public/listing/cab/samm-ct/3004201> for the current scope of accreditation