


Schedule

Issue date: 06 April 2025
Valid Until: -



NO: SAMM 860

Page: 1 of 2

LABORATORY LOCATION/ CENTRAL OFFICE:	QIS Research Laboratory Sdn. Bhd. Wisma Hai-O Lot 11995, Batu 2, Jalan Kapar, 41400 Klang, Selangor , 41400, SELANGOR MALAYSIA
	
ACCREDITED SINCE :	06 APRIL 2025
FIELD(S) OF TESTING:	MICROBIOLOGY

This laboratory has demonstrated its technical competence to operate in accordance with MS ISO/IEC 17025:2017 (ISO/IEC 17025:2017).

This laboratory's fulfillment of the requirements of ISO/IEC 17025 means the laboratory meets both the technical competence requirements and management system requirements that are necessary for it to consistently deliver technically valid test results and calibrations. The management system requirements in ISO/IEC 17025 are written in language relevant to laboratory operations and operate generally in accordance with the principles of ISO 9001 (see Joint ISO-ILAC-IAF Communiqué dated April 2017).

CENTRAL LOCATION:	QIS Research Laboratory Sdn. Bhd. Wisma Hai-O Lot 11995, Batu 2, Jalan Kapar, 41400 Klang, Selangor , 41400, Selangor
FIELD(S) OF TESTING :	MICROBIOLOGICAL,

SCOPE OF TESTING : MICROBIOLOGY

Material / Product Tested	Type Of Test / Properties Measured / Range Of Measurement	Standard Test Methods / Equipment / Techniques
(tablet, Powder & Capsule)	None	None
	None	None
Herbs And Herb Products	Total Viable Aerobic Count	Method Appendix XVI B. Ph. Eur.
	Quantitative Test	Method Appendix XVI B. Ph. Eur.
Pharmaceutical Products	None	None
	Bacteria	None
	Mercury	BP 2019, Vol. V Appendix VII & IID
	None	None
	None	None
	Cadmium, Lead	US EPA 6010D (Determination)
	None	None
	Arsenic	In-house Method SOP-0217-1017,

Schedule

Issue date: 06 April 2025
Valid Until: -



NO: SAMM 860

Page: 2 of 2

Scan this QR Code or visit <https://accreditation.jsm.gov.my/public/listing/cab/samm-ct/3004209> for the current scope of accreditation