

Schedule

Issue date: 06 April 2025
Valid Until: -



NO: SAMM 906

Page: 1 of 4

LABORATORY LOCATION/ CENTRAL OFFICE:	Jabatan Kimia Malaysia Cawangan Tawau Block A2, Lot 264 & 265, Bandar Sri Indah Batu 10 1/2, Jalan Apas 91000 Tawau, Sabah , 91000, SABAH MALAYSIA
	
ACCREDITED SINCE :	06 APRIL 2025
FIELD(S) OF TESTING:	CHEMICAL

This laboratory has demonstrated its technical competence to operate in accordance with MS ISO/IEC 17025:2017 (ISO/IEC 17025:2017).

This laboratory's fulfillment of the requirements of ISO/IEC 17025 means the laboratory meets both the technical competence requirements and management system requirements that are necessary for it to consistently deliver technically valid test results and calibrations. The management system requirements in ISO/IEC 17025 are written in language relevant to laboratory operations and operate generally in accordance with the principles of ISO 9001 (see Joint ISO-ILAC-IAF Communiqué dated April 2017).

CENTRAL LOCATION:	Jabatan Kimia Malaysia Cawangan Tawau Block A2, Lot 264 & 265, Bandar Sri Indah Batu 10 1/2, Jalan Apas 91000 Tawau, Sabah , 91000, Sabah
FIELD(S) OF TESTING :	CHEMICAL,

SCOPE OF TESTING : CHEMICAL

Material / Product Tested	Type Of Test / Properties Measured / Range Of Measurement	Standard Test Methods / Equipment / Techniques
Effluent	Reference Method (Except for	None
	None	None
	Biochemical Oxygen Demand	DOE Method (1985):
	Suspended Solids	DOE Method (1985) :
	Biochemical Oxygen Demand	DOE Method: 4" Edition, 2019,
	Temperature	APHA 2550B, 2005
	None	None
	None	None
	None	None
	Aluminium (Al)	None
	None	None
	None	None
	Total Dissolved Solids	APHA - 2540C

Schedule

Issue date: 06 April 2025
Valid Until: -



NO: SAMM 906

Page: 2 of 4

Material / Product Tested	Type Of Test / Properties Measured / Range Of Measurement	Standard Test Methods / Equipment / Techniques
	None	APHA - 4500F-B&C
	Metals:	USEPA Method 6010D; Inductive
	Calcium as Ca	HCl Digestion)
	Sulphate as SO ₄	None
	Nitrite Nitrogen as N	APHA 4110B
	@ 30 °C for 3 Days	None
	None	None
	None	(by calculation)
	None	based on APHA -" 4500 Norg B, 21%
	pH	APHA 4500-H*B
	Temperature	APHA 2550 A, B
	Oxygen (Dissolved)	APHA 4500-0 G
	Free Chlorine	HACH Method 8021
	Temperature	APHA 2550 B
	pH	APHA 4500 H*B
	pH	APHA 4500 - H*B
Environmental Monitoring	None	None
	Colour ADMI	APHA 2120 F
	Mercury	In-house Method, CL/WT/007, based
	None	None
	None	None
	pH Value (pH)	APHA 4500-H* B, edition
	None	None
	None	None
	None	None
	None	None
	None	None
	None	None
	None	None
	None	None
	None	None
	None	None
	None	None
	None	None
	None	None
	None	None
	None	None
	Aluminium	USEPA 6010 D (ICP OES)
	None	None
	Nitrate (as NO ₃ -• or	APHA E
	None	None
	Fluoride	APHA & D
	Colour (True & Apparent)	APHA 2120 C
	Total Coliform Count (TCC)	APHA 9221 B
	Total Nitrogen	In-house test method MKA TMO3 by TOC/TN Analyzer
	None	None
	Total Solid	2540 B

Schedule

Issue date: 06 April 2025
Valid Until: -



NO: SAMM 906

Page: 3 of 4

Material / Product Tested	Type Of Test / Properties Measured / Range Of Measurement	Standard Test Methods / Equipment / Techniques
	None	None
	None	None
	None	None
	pH value	APHA 4500-H* B Electrometric
	None	None
	None	None
	Particulate Matter	MS 1596: 2003 Determination of
	Heavy Metals:	None
	None	None
	None	None
	Moisture	(i) Gravimetric Method: BS:EN
	None	None
	None	None
	None	None
	None	None
	None	None
	None	None
	Metals	In-house Method PCL-HMW-01
	None	None
	None	None
	Turbidity	APHA 2130 B, 2005
	Turbidity	APHA 2130 B, 2005
	Biochemical Oxygen Demand	APHA 5210 B & C, 2005
	Biochemical Oxygen Demand	DOE 2019, Reference Method,
	pH	APHA 4500 H*B, 2005
	Metals by ICP	None
	Metals by ICP	None
	Metals by ICP	None
	None	In-house method, WI-TEC-S001,
	None	None
	None	None
	None	None
	Determination of Concentration and Mass Flow of Particulate	MS 1596: 2003
	Determination of Total Suspended Particulate Matter in	ASTM: D4096-91 (2003)
	Sound pressure level	Guidelines for Environmental Noise Limits and Control, Third Edition
	None	None
	None	None
	None	None
	Boron	APHA 4500-B C, 2005 APHA 4500-B C, 2017
	Sulphide	APHA 4500- D, 2005 APHA 4500- D, 2017
	Metal Analysis by ICP-OES	None
	Hydrocarbon	APHA 5520 F 2005

Scan this QR Code or visit <https://accreditation.ism.gov.my/public/listing/cab/samm-ct/3004233> for the current scope of accreditation

Schedule

Issue date: 06 April 2025
Valid Until: -



NO: SAMM 906

Page: 4 of 4

Material / Product Tested	Type Of Test / Properties Measured / Range Of Measurement	Standard Test Methods / Equipment / Techniques
	None	None
	Hydrogen Bromide (HBr)	OSHA Method ID-165SG
	Temperature	APHA 2550 B, 2005
	None	None
	None	None
	Formaldehyde	In-house Method C/WTR/012
	None	None
	Aluminium	None
	Aluminium	None
	Nickel	APHA 3120 B, 24" Edition
	pH	APHA 4500 H*B
	pH	APHA 4500 H*B
	None	None
	None	None
	None	None
	COD	APHA 5220 D
	Heavy Metals	None
	Moisture	EPA Method 9000 (Karl Fischer Titration)
	None	EPA Method 1010 A
	None	Information Circular 8333,
	Total Bacteria Count	Compendium of Methods for the
	Aerobic Plate Count	In-house swab contact method
	None	None
	None	None
	None	None
	None	None
	None	None
	None	None
	None	None
	None	None
	None	None
	None	None
Palm Oil Product	Determination of Colour	MPOB Test Method P4.1:2004
Rubber And Palm Oil Mill	Suspended Solids	None

Scan this QR Code or visit <https://accreditation.ism.gov.my/public/listing/cab/samm-ct/3004233> for the current scope of accreditation