

Schedule

Issue date: 06 April 2025
Valid Until: -



NO: SAMM 922

Page: 1 of 12

LABORATORY LOCATION/ CENTRAL OFFICE:	SFM Laboratory, Star Feedmills Sdn. Bhd. PT 12007, Jalan Perindustrian Mahkota 2, Kawasan Perindustrian Mahkota, 43700 Beranang, Selangor , 43700, SELANGOR MALAYSIA
	
ACCREDITED SINCE :	06 APRIL 2025
FIELD(S) OF TESTING:	CHEMICAL NUCLEIC ACID

This laboratory has demonstrated its technical competence to operate in accordance with MS ISO/IEC 17025:2017 (ISO/IEC 17025:2017).

This laboratory's fulfillment of the requirements of ISO/IEC 17025 means the laboratory meets both the technical competence requirements and management system requirements that are necessary for it to consistently deliver technically valid test results and calibrations. The management system requirements in ISO/IEC 17025 are written in language relevant to laboratory operations and operate generally in accordance with the principles of ISO 9001 (see Joint ISO-ILAC-IAF Communiqué dated April 2017).

CENTRAL LOCATION:	SFM Laboratory, Star Feedmills Sdn. Bhd. PT 12007, Jalan Perindustrian Mahkota 2, Kawasan Perindustrian Mahkota, 43700 Beranang, Selangor , 43700, Selangor
FIELD(S) OF TESTING :	CHEMICAL, NUCLEIC ACID

SCOPE OF TESTING : CHEMICAL

Material / Product Tested	Type Of Test / Properties Measured / Range Of Measurement	Standard Test Methods / Equipment / Techniques
---------------------------	---	--

SCOPE OF TESTING : NUCLEIC ACID

Material / Product Tested	Type Of Test / Properties Measured / Range Of Measurement	Standard Test Methods / Equipment / Techniques
Feed Raw Material And	Moisture -Feed	AOAC Method 930.15
	Porcine DNA	SureFood? ANIMAL ID Pork SENS

Schedule

Issue date: 06 April 2025
Valid Until: -



NO: SAMM 922

Page: 2 of 12

Material / Product Tested	Type Of Test / Properties Measured / Range Of Measurement	Standard Test Methods / Equipment / Techniques
Finished Feed	Moisture ? Raw material	ISO 6496:1999
	Crude Protein	In house method SD-QC-WI-001
	None	PLUS User Manual (CONGEN
Shrimp	Enterocytozoon Hepatopenaei	In-house method SD?QC ?WI-304 :
	White Spot Syndrome Virus	In-house method SD?QC-WI-306 :
	Enterocytozoon Hepatopenaei	In-house method SD ? KD ? WI 001 :
	White Spot Syndrome Virus	In-house Method NA/FD/004 using
	White Spot Syndrome Virus	LIRL/LWI 05: Real-time PCR based
	Acute Hepatopancreatic Ethoxyquin	28: Nested PCR based on JKM F 0405 In-house Method based
	White spot syndrome virus	In-house method, Ref. Doc. No. OP-PO5-W1-
	Infection Hypodermal and Acute Hepatopancreatic	In-house method, Ref. Doc. No. OP-PO5-W1-
Shrimp Water Soil	Enterocytozoon Hepatopenaei (EHP)	time PCR based on SMartReal EHP Detection Kit Instrution Manual (AAHRC-
Soil	None	EHP Detection Kit Instruction Manual
	Determination of Moisture Content	BS 1377-2: 1990 Clause 3.2
	pH	In-house method TM-CR-03-005
	Particle Density Determination by Mechanical Analysis (Clay, Silt, Fine & Coarse Sand)	BS 1377: Part 2: 1990: clause 8.3
	pH	In-house method (Ref. No. S1) based on The Bouyoucos Hydrometer method for Particle Size Analysis, Texas A&M University System
	pH	MS 2457 : 2012
	Conductivity (Cond.)	MS 2458 : 2012
	Organic Carbon (Org. C)	MS 2459 : 2012
	Total Nitrogen (N)	MS 678 : Pt. to 1980, Part II
	Phosphorus (Available)	In-house method (Ref. No. S2) based on J. Sci. Fd. Agric. Vol. 21, 275-278 and MS 678: Pt. VI to IX:
	Sample Preparation	In-house Method ITC/TM/S01 based on MS 678: Part 0: 1980
	pH	MS 2457: 2012
	Nitrogen	MS 678: Part II: 1980- (a)
	Organic Carbon	MS 2469: 2012
	Total Phosphorus	In-house Method based on MS 678: Part VIII: 1980

Scan this QR Code or visit <https://accreditation.ism.gov.my/public/listing/cab/samm-ct/3004241> for the current scope of accreditation

Schedule

Issue date: 06 April 2025
Valid Until: -



NO: SAMM 922

Page: 3 of 12

Material / Product Tested	Type Of Test / Properties Measured / Range Of Measurement	Standard Test Methods / Equipment / Techniques
	Available Phosphorus	In-house Method ITC/TM/S08 based on A laboratory manual of methods of Soil Analysis research Branch Agriculture Department Sarawak 1993, clause 19
	Exchangeable Cations (K,Mg,Ca)	In-house Method ITC/TM/S06 based on MS 678: Part IV: 1980
	Cation Exchange Capacity	In-house Method ITC/TM/S07 based on MS 678: Part V: 1980
	Particle Size Analysis	In-house Method ITC/TM/S10 based on ASA-SSSA, Methods of Soil Analysis 1986, Part 1, Chapter 15
	Determination of In-situ Density	BS 1377: Part 9: 1990
	2.5 kg Rammer	BS 1377-2:2022
	Clay, Silt, Fine Sand & Phosphorus (total)	In-house Method, S1, Based on MS 678:Pt. VI to IX:1980, Part VIII
	Phosphorus (total)	In-house Method, S6, Based on MS 678:Pt. VI to IX:1980, Part VIII and QuikChem® Method 12-115-01-1-N
	Cation Exchange Capacity (C.E.C)	MS 678:Pt. to V:1980, Part V
	Cation Exchange Capacity (C.E.C)	In-house Method, S7, Based on MS 678:Pt. to V:1980, Part V and QuikChem® Method 13-107-06-2-D
	Total Exchangeable Bases: Potassium (K)	MS 678:Pt. to V:1980, Part IV (Flame photometry)
	Total Exchangeable Bases: Potassium (K)	In-house Method, S8, Based on MS 678:Pt. to V:1980, Part IV and QuikChem® Method 12-119-03-1-C
	Sodium (Na)	In-house Method, S9, Based on MS 678:Pt. to V:1980, Part IV
	Calcium (Ca)	MS 678:Pt. to V:1980, Part IV (Atomic Absorption Spectrophotometry)
	Magnesium (Mg)	MS 678:Pt. to V:1980, Part IV (Atomic Absorption Spectrophotometry)
	Determination of Particle Size	Part 2: MS 1056 2013 Section 10.2
	Mechanical Analysis (Clay, Silt, Fine & Coarse Sand)	In-house Method, Ref. No. S1, Based on The Bouyoucos Hydrometer Method for Particle Size Analysis,
	Arsenic (As)	None

Scan this QR Code or visit <https://accreditation.ism.gov.my/public/listing/cab/samm-ct/3004241> for the current scope of accreditation

Schedule

Issue date: 06 April 2025
Valid Until: -



NO: SAMM 922

Page: 4 of 12

Material / Product Tested	Type Of Test / Properties Measured / Range Of Measurement	Standard Test Methods / Equipment / Techniques
	Determination of Electrical Conductivity in Soil Sample	In-House Method P702-07 base on MS 2458:2012
	Moisture Content Test - Oven Drying Method	MS 1056: Part 2: 2005
	Liquid Limit Test - Casagrande Method	MS 1056: Part 2: 2005
	Liquid Limit Test - Cone Penetrometer Method	MS 1056: Part 2: 2005
	Plastic Limit Test	MS 1056: Part 2: 2005
	Plasticity Index	MS 1056: Part 2: 2005
	Linear Shrinkage	MS 1056: Part 2: 2005
	Specific Gravity- Small Pycnometer Method	MS 1056: Part 2: 2005
	Particle Size Distribution -" Wet Sieving Method	MS 1056: Part 2: 2005
	Sedimentation -" Hydrometer Method	MS 1056: Part 2: 2005
	Compaction Test	MS 1056: Part 4: 2005 (Clause 4.2, 4.5, 4.6)
	Determination of pH value	BS 1377 : Part 3: 1990, Clause 9
	Determination of chloride content	BS 1377 : Part 3: 1990, Clause 7
	Determination of sulphate content	BS 1377 : Part 3: 1990, Clause 5 (Gravimetric)
	Determination of organic matter content	BS 1377 : Part 3: 1990, Clause 3
	Determination of moisture content	BS 1377 : Part 2: 1990, Clause 3.2
	Determination of particle size distribution	BS 1377 : Part 2: 1990, Clause 9.3
	Determination of In-situ Density and Moisture Content	Soils for Civil Engineering Purposes, BS 1377:1990, Part 9: Clause 2.1-Sand Replacement
	Determination of In-situ Density and Moisture Content	Soils for Civil Engineering Purposes, BS 1377:1990,
	Moisture Content	BS 1377: Part 2: 1990, Clause 3.2.4
	Moisture Content	BS 1377: Part 2: 1990, Clause 3.2
	Particle Size Distribution	BS 1377: Part 4: 1990, Clause 9.5
	Field Density Test: Core Cutter	BS 1377: Part 9: 1990, Clause 2.4
	Determination of Moisture	BS 1377:Part 2:1990 Clause 3.2
	Particle Size Distribution	BS 1377: Part 2: 1990, Clause 9.2 & 9.3
	Moisture Content	BS 1377: Part 2: 1990, Clause 3.2
	California Bearing Ratio (Soaked)	BS 1377: Part 4: 1990, Clause 7
	Dry Density / Moisture Content Relationship (4.5 kg Rammer Method)	BS 1377: Part 4: 1990, Clause 3.6
	Liquid Limit (Casagrande Apparatus Method)	BS 1377: Part 2: 1990, Clause 4.5

Scan this QR Code or visit <https://accreditation.ism.gov.my/public/listing/cab/samm-ct/3004241> for the current scope of accreditation

Schedule

Issue date: 06 April 2025
Valid Until: -



NO: SAMM 922

Page: 5 of 12

Material / Product Tested	Type Of Test / Properties Measured / Range Of Measurement	Standard Test Methods / Equipment / Techniques
	None	Part 2: BS 1377 1990, Clause 5.3 & 5.4
	Dry Density / Moisture Content	Part 4: MS 1056 2005, Clause 4.5 & 4.6
	Dry Sieving Method	MS 1056 Part 2 : 2005, Clause 10.3 Part 2 : 1990, Clause 9.3 BS 1377
	Determination of Moisture Content	BS 1377: Part 2: 1990 Clause 3.2
	Moisture Content	BS 1377 Part 2: 1990 : Clause 3.2
	Liquid Limit (Cone Penetrometer Method)	BS 1377 Part 2: 1990 : Clause 4.3
	In-situ Density Test by Sand	None
	pH	MS 2457: 2012
	Electrical Conductivity	MS 2458: 2012
	Available Phosphorus	In-house method S07 based on Bray & Kurtz, 1945 & ICP-OES
	Total Nitrogen	MS ISO 13878: 2014
	Total Phosphorus	In-house method S13 based on EPA Method 3050B & ICP-OES
	Determination of Particle Density (Small Pycnometer Method)	BS 1377:1990 Part 2, Clause 8.3
	Determination of Particle Size Distribution (Dry Sieving Method)	BS 1377:1990 Part 2, Clause 9.3
	Determination of Particle Size Distribution (Wet Sieving Method)	BS 1377:1990 Part 2, Clause 9.2
	Determination of Particle Size	None
	Determination of Water Content	BS 1377: Part 2
	Determination of pH value of fine	BS 1377-3: 2018
	Determination of Soil pH	MS 678: Part - V: Part I, Soil pH:
	None	None
	Total Recoverable Elements	USEPA 200.2 Rev. 2 : 8 EMMC
	Chloride	MS 678: Part VI to
	In-situ Density Test	BS 1377: Part 9:1990 Clause 2.1
	Moisture Content	BS EN ISO 17892-1:2014
	Particle Size Distribution -" Wet	BS EN ISO 17892-4:2016
	Arsenic, Mercury, Cadmium,	EPA 3050 B
	Loss on Ignition	BS 1377 part 3: 1990 (Clause 4)
	Carbonate	BS 1377 Part 3: 1990 (Clause 6.3)
	Moisture Content	BS 1377-1: 2016
	In-situ California Bearing Ratio (CBR)	BS 1377 : Part 9 : 1990 Clause 4.3
	Moisture Content	BS 1377-1: 2016
	In-situ California Bearing Ratio (CBR)	BS 1377 : Part 9 : 1990 Clause 4.3
	pH Value	BS 1377-3:1990:9.5
	None	None
	Aluminum (Al)	USEPA 200.2, Revision 2.8, 1994
	Particle Size Distribution (gravel,	In House Method 0588 based on

Scan this QR Code or visit <https://accreditation.ism.gov.my/public/listing/cab/samm-ct/3004241> for the current scope of accreditation

Schedule

Issue date: 06 April 2025
Valid Until: -



NO: SAMM 922

Page: 6 of 12

Material / Product Tested	Type Of Test / Properties Measured / Range Of Measurement	Standard Test Methods / Equipment / Techniques
	Determination of Particle Size Distribution for Soils	BS 1377: Part 2: 1990 Clause 9
	Determination of Moisture Content	BS 1377: Part 2: 1990 Clause 3.2
	Determination of the Liquid Limit (Casagrande apparatus method)	BS 1377: Part 2: 1990 Clause 4.5
	Determination of the Plastic Limit and Plasticity Index	BS 1377: Part 2: 1990 Clause 5
	Determination of dry density/moisture content relationship (Rammer Method)	BS 1377: Part 4: 1990 Clause 3.3, 3.4, 3.5 & 3.6
	Determination of dry density/moisture content relationship (Vibrating Hammer Method)	BS 1377: Part 4: 1990 Clause 3.7
	Determination of soil density test	BS 1377: Part 2: 1990 Clause 7
	Determination of The Moisture	BS 1377: Part 2:1990: Method 3.2
	Determination of In-Situ Density	BS 1377: Part 9: 1990
	Determination of The Moisture	BS 1377: Part 2:1990: Method 3.2
	Toxicity characteristic leaching Phosphorus, P Sulphur, S	USEPA 1311: 1992 None
	SVOCs (Refer to Appendix 2 and 3 for	EPA Method 3510C: 1996
	Determination of Moisture Content	BS 1377:2:1990, Clause 3.2 MS 1056:2:2005, Clause 4.2
	Determination of Density	BS 1377:2:1990, Clause 7.2 MS 1056:2:2005, Clause 8.2
	Linear Shrinkage	BS 1377:2:1990, Clause 6.5 MS 1056:2:2005, Clause 7.5
	Determination of Particle Density	BS 1377:2:1990, Clause 8.3 MS 1056:2:2005, Clause 9.3
	Determination of Liquid Limit Using Casagrande Method	BS 1377:2:1990, Clause 4.5 & 4.6 MS 1056:2:2005, Clause 5.5 & 5.6
	Determination of Liquid Limit Using Cone Penetrometer Method	BS 1377:2:1990, Clause 4.3 & 4.4 MS 1056:2:2005, Clause 5.3 & 5.4
	Determination of the Plastic Limit	BS 1377:2:1990, Clause 5
	Maximum dry density / Moisture content relationship	BS 1377: Part 4: 1990
	Shear Strength Test without The laboratory Vane e	None BS 1377: Part 7: 1990: Clause 3
	Field Density Test (Sand Replacement Method)	BS 1377: Part 9:1990 Clause 2.1
	Plastic limit test	Test instruction reference to BS
	Moisture content	BS1377-2, Clause 4.1
Water	None	PCL)
	Acute Hepatopancreatic	In-house method SD?QC-WI-305 :
	None	None
	Pathogen	, , , APHA 9222A,
	None	None

Scan this QR Code or visit <https://accreditation.ism.gov.my/public/listing/cab/samm-ct/3004241> for the current scope of accreditation

Schedule

Issue date: 06 April 2025
Valid Until: -



NO: SAMM 922

Page: 8 of 12

Material / Product Tested	Type Of Test / Properties Measured / Range Of Measurement	Standard Test Methods / Equipment / Techniques
	None	None
	None	None
	Selenium (Se) Chromium (Cr)	None
	None	None
	Ammonical Nitrogen	APHA 4500-NH3
	None	None
	Lead	APHA 3120 B
	Tin	None
	Iron	None
	Heterotropic plate count	APHA 9215 D
	Standard total coliform	APHA 9222 B
	None	None
	None	None
	pH	APHA - B
	Escherichia coli and Coliform	ISO 9308-1:2014 (E) / Enumeration by
	Bisphenol A	In-house test method MKA TMO6 based
	Total Hardness	HACH Method 8226, 8 th Edition, 2015
	Hardness by Calculation	APHA 2340 B & In-house test method
	Color	HACH Method 8025, Edition, 2014
	None	None
	Determination of pH	APHA 4500-H* B, 2005
	Determination of chloride	APHA 4500-CI B, 2005
	Determination of sulphate	APHA B, 2005
	Determination of alkalinity	APHA 2320 B, 2005
	Determination of total solids	APHA 2540 B, 2005
	pH	APHA 4500 H*B
	Color	APHA 2120 C (2017)
	Heterotrophic Plate Count	APHA 9215 B (2017)
	Standard Total Coliform	APHA 9221 B (2017)
	Escherichia coli	APHA 9221 F (2017)
	Examination for Legionella spp.	AS/NZS 3896:2008
	pneumophila	None
	Staphylococcus aureus count	APHA 9213 B (2017)
	Fecal Streptococcus	APHA 9230 C (2017)

Scan this QR Code or visit <https://accreditation.ism.gov.my/public/listing/cab/samm-ct/3004241> for the current scope of accreditation

Schedule

Issue date: 06 April 2025
Valid Until: -



NO: SAMM 922

Page: 9 of 12

Material / Product Tested	Type Of Test / Properties Measured / Range Of Measurement	Standard Test Methods / Equipment / Techniques
	Pseudomonas aeruginosa	APHA 9213 F (2017)
	Identification of Escherichia coli	In-house Method GPS/QA/TM/001
	Identification of Shiga-toxigenic	In-house Method GPS/QA/TM/004
	None	None
	Ammonia	ASTM D1293
	None	None
	None	None
	None	None
	and Escherichia coli	None
	None	filtration)
	Clostridium perfringens	ISO 14189: 2013 (E)
	None	None
	None	None
	None	None
	None	(2005)
	None	21% Edition (2005)
	Colour	APHA 2120 C 2005
	Determination of Volatile	Method EPA 524.2 By Purge & Trap
	Oxygen Demand (COD) for High	APHA Method 5220D
	None	In-house Method JKM W 0502,
	None	on APHA 4110 B-"Ion
	Colony Count at 36°C	JKM M 2038, ISO 6222:1999 (E)
	Intestinal Enterococci	i) WI 16 -" Sample Preparation for
	Enumeration of Clostridium	JKM M 2035
	Detection of pathogenic	JKM B 0201 Detection of pathogenic
	Identification and Quantification	JKM B 0406
	pH	APHA - 4500-H B
	None	None
	Boron	HACH METHOD 8015
	None	None
	E. coli	APHA 9221 F (MPN Method)
	None	None

Scan this QR Code or visit <https://accreditation.ism.gov.my/public/listing/cab/samm-ct/3004241> for the current scope of accreditation

Schedule

Issue date: 06 April 2025
Valid Until: -



NO: SAMM 922

Page: 11 of 12

Material / Product Tested	Type Of Test / Properties Measured / Range Of Measurement	Standard Test Methods / Equipment / Techniques
	2,4-dichlorophenoxyacetic acid (2,4-D)	In-house method, SGS-TM-02-045, based on Agilent Application Note 5991-5731 EN (LCMSMS)
	Heavy Metals by ICP-MS	None
	Endotoxin	Test for Bacterial Endotoxin, BP 2022
	pH	APHA 4500 H*B
	Oil & Grease	APHA 5520 B
	Color	APHA 2120 B
	Color	APHA 2120 F
	pH	APHA 4500 H* B
	Turbidity	APHA 2130 B
	Conductivity	APHA 2510 B
	None	None
	None	None
	None	None
	Escherichia coli and coliform	ISO 9308-1: 2014 (E) / Enumeration
	Pseudomonas aeruginosa	ISO 16266:2006 (E) / Detection and
	Ammonium nitrogen	BS 6068: Section 2.7:1984 ISO 5664:1984
	Chemical Oxygen Demand	BS 6068: Section 2.34:1988
	Suspended solids	BS 2690-Part 120:1981
	Dissolved solids	BS 2690-Part 121:1981
	None	ASTM D 523-82
	COD	APHA 5220 D
	None	None
	Free Chlorine	APHA' 4500 -" CI G
	Count	(Pour Plate, Spread Plate and
	Anaerobes (Clostridia)	BS 6068-4:9: 1993
	Gross Alpha & Gross Beta	None
	Arsenic as As	None
	Antimony as Sb	None
	Aluminium as Al	None
	Beryllium as Be	None
	Cadmium as Cd	None
	Chromium as Cr	None
	Lead as Pb	None
	Silver as Ag	None
	Selenium as Se	None
	Thallium as Tl	None
	Mercury as Hg	In-house Method LWI-MWE 037 based on APHA 3112 B by
	Mercury as Hg	Mercury Analyser
	Nitrate	In-house Method LWI-MWE 032 based on HACH Nitrate

Scan this QR Code or visit <https://accreditation.ism.gov.my/public/listing/cab/samm-ct/3004241> for the current scope of accreditation

Schedule

Issue date: 06 April 2025
Valid Until: -



NO: SAMM 922

Page: 12 of 12

Material / Product Tested	Type Of Test / Properties Measured / Range Of Measurement	Standard Test Methods / Equipment / Techniques
	Nitrate	Test Comparator
	Sulfide	HACH Method 8131
	Chlorine, Free Residual	In-house Method LWI-MWE
	Chlorine, Free Residual	034 based on DPD-Palintest
	Chlorine, Free Residual	Test Comparator
	Total Chlorine	In-house Method LWI-MWE
	Total Chlorine	035 based on DPD-Palintest
	Total Chlorine	Test Comparator
	Colour (ADMI)	APHA 2120 F
	Heterotrophic Plate Count	None
	Pseudomonas aeruginosa	In-house Method LWI-MME (APHA) 007
	Pseudomonas aeruginosa	based on APHA 9213 E, 2020
	Escherichia coli and Coliform	Escherichia coli and Coliform Bacteria. Part 1: Membrane filtration
	Escherichia coli and Coliform	method
	Escherichia coli and Coliform	Method No: MOH (1)
	Escherichia coli and Coliform	ISO 29981 : 2010 (E), IDF 220 :
	Escherichia coli and Coliform	2010 (E) Milk Products -
	None	None

Scan this QR Code or visit <https://accreditation.ism.gov.my/public/listing/cab/samm-ct/3004241> for the current scope of accreditation