


NO: SAMM 1117

Page: 1 of 2

LABORATORY LOCATION/ CENTRAL OFFICE:	UH Analytical Laboratory, Union Harvest (M) Sdn. Bhd. Pt 16304, Batu 13, Jalan Kuantan-Kemaman Gebeng 26080 Kuantan, Pahang , 26080, PAHANG MALAYSIA
	
ACCREDITED SINCE :	16 JUNE 2025
FIELD(S) OF TESTING:	CHEMICAL

This laboratory has demonstrated its technical competence to operate in accordance with MS ISO/IEC 17025:2017 (ISO/IEC 17025:2017).

This laboratory's fulfillment of the requirements of ISO/IEC 17025 means the laboratory meets both the technical competence requirements and management system requirements that are necessary for it to consistently deliver technically valid test results and calibrations. The management system requirements in ISO/IEC 17025 are written in language relevant to laboratory operations and operate generally in accordance with the principles of ISO 9001 (see Joint ISO-ILAC-IAF Communiqué dated April 2017).

CENTRAL LOCATION:	UH Analytical Laboratory, Union Harvest (M) Sdn. Bhd. Pt 16304, Batu 13, Jalan Kuantan-Kemaman Gebeng 26080 Kuantan, Pahang , 26080, Pahang
FIELD(S) OF TESTING :	CHEMICAL,

SCOPE OF TESTING : CHEMICAL

Material / Product Tested	Type Of Test / Properties Measured / Range Of Measurement	Standard Test Methods / Equipment / Techniques
Fertiliser (raw Material, Mixture, Compound)	Moisture	In-house Method UHW02-02-1 based on MS 417: Part 2: 1994 (First Revision)
	pH	In-house Method UHW02-02-2 based on MS 49: 1994 (Second Revision)
Fertiliser (raw Material, Mixture, Compound)	Total Nitrogen (formulation based on Ammonium Sulphate & Ammonium Chloride)	In-house Method UHW02-03-1 based on MS 417: Part 3: 2020 (Second Revision)
	Total Nitrogen (formualtion based on Urea)	In-house Method UHW02-03-2 based on MS 417: Part 3: 2020 (Second Revision)

Schedule

Issue date: 16 June 2025
Valid Until: -



NO: SAMM 1117

Page: 2 of 2

Material / Product Tested	Type Of Test / Properties Measured / Range Of Measurement	Standard Test Methods / Equipment / Techniques
	Total Nitrogen (formulation based on Ammonium Nitrate)	In-house Method UHW02-03-3 based on MS 417: Part 3: 2020 (Second Revision)
	Total Phosphorus	In-house Method UHW02-06-1 based on MS 417: Part 4: 2020 (Second Revision)
	Total Potassium	In-house Method UHW02-06-1 based on MS 417: Part 5: 2020 (Second Revision)
Fertiliser (raw Material, Mixture, Compound)	Total Potassium	In-house Method UHW02-06-1 based on MS 417: Part 5: 2020 (Second Revision)
Fertiliser (raw Material, Mixture, Compound)	Total Magnesium	In-house Method UHW02-06-1 based on MS 417: Part 6: 2020 (Second Revision)
Fertiliser (raw Material, Mixture, Compound)	Total Boron	In-house Method UHW02-06-1 based on MS 417: Part 7: 2020 (Third Revision)
Fertiliser (raw Material, Mixture, Compound)	Total Sulphur	In-house Method UHW02-06-2 based on MS 417: Part 8: 1997 (First Revision)

Scan this QR Code or visit <https://accreditation.ism.gov.my/public/listing/cab/samm-ct/3005307> for the current scope of accreditation