Issue date: 26 June 2025

Valid Until: -



NO: MIBAS 021

(Issue 1, 26 June 2025 replacement of MIBAS 021 dated 26 June 2025)

Page: 1 of 14

INSPECTION BODY/ CENTRAL OFFICE:	Amspec Inspection Malaysia Sdn. Bhd. (HQ) 3-01-01, Nova Place, 1st. Floor, Jalan Ahmad Nor, , 11600, PULAU PINANG MALAYSIA
ACCREDITED SINCE :	26 JUNE 2025
TYPE OF INSPECTION:	A
FIELD(S) OF INSPECTION:	AGRICULTURAL PRODUCTS - TYPE A
BRANCH:	
1 . BRANCH LABORATORY :	Amspec Inspection Malaysia Sdn. Bhd., Sandakan, Block 3, Lot No 35, 1 St Floor, Phase 1 Prima Square, Mile 4, North Road, MALAYSIA
FIELD(S) OF INSPECTION:	A - AGRICULTURAL PRODUCTS - TYPE A
2 . BRANCH LABORATORY :	Amspec Inspection Malaysia Sdn. Bhd., Klang, The Landmark, No 3-10, Block 10 Jalan Batu Nilam 16, Jalana Bukit Tinggi 2, MALAYSIA
FIELD(S) OF INSPECTION:	A - AGRICULTURAL PRODUCTS - TYPE A
3 . BRANCH LABORATORY :	Amspec Inspection Malaysia Sdn. Bhd., Pasir Gudang, 20A, Jalan 10/28, Taman Air Biru 81700 Pasir Gudang, Johor Malaysia, MALAYSIA
FIELD(S) OF INSPECTION:	A - AGRICULTURAL PRODUCTS - TYPE A
4 . BRANCH LABORATORY :	Amspec Inspection Malaysia Sdn. Bhd., Bintulu, 1st Floor, Lot 45, Block 31, Kemena Land District, Town Square, Jalan Tun Ahmad Zaini, MALAYSIA
FIELD(S) OF INSPECTION:	A - AGRICULTURAL PRODUCTS - TYPE A

An inspection body's fulfilment of the requirements of ISO/IEC 17020:2012 means the inspection body meets both the technical competence requirements and **management system requirements** that are necessary for it to consistently deliver technically valid inspection results. The **management system requirements** in ISO/IEC 17020:2012 (Section 8) are written in language relevant to inspection body operations and are aligned with the pertinent requirements of ISO 9001. (Joint IAF-ILAC-ISO Communiquè dated September 2013).

Valid Until: -



NO: MIBAS 021

(Issue 1, 26 June 2025 replacement of MIBAS 021 dated 26 June 2025)

Page: 2 of 14

CENTRAL LOCATION:	Amspec Inspection Malaysia Sdn. Bhd. (HQ) 3-01-01, Nova Place, 1st. Floor, Jalan Ahmad Nor, , 11600, Pulau Pinang
FIELD(S) OF INSPECTION:	AGRICULTURAL PRODUCTS - TYPE A
TYPE OF INSPECTION:	A

SCOPE OF INSPECTION:

Central CAB		
BRANCH LOCATION	1. Amspec Inspection Malaysia Sdn. Bhd., Bintulu 1st Floor, Lot 45, Block 31, Kemena Land District, Town Square, Jala Tun Ahmad Zaini ,MALAYSIA	
FIELD(S) OF INSPECTION :	AGRICULTURAL PRODUCTS -	TYPE A
BRANCH LOCATION	2. Amspec Inspection Malaysia S 20A, Jalan 10/28, Taman Air Biru Malaysia,MALAYSIA	
FIELD(S) OF INSPECTION :	AGRICULTURAL PRODUCTS -	TYPE A
BRANCH LOCATION	3. Amspec Inspection Malaysia S The Landmark, No 3-10, Block 10 Tinggi 2,MALAYSIA	6dn. Bhd., Klang 0 Jalan Batu Nilam 16, Jalana Bukit
FIELD(S) OF INSPECTION :	AGRICULTURAL PRODUCTS -	TYPE A
BRANCH LOCATION	4. Amspec Inspection Malaysia Sdn. Bhd., Sandakan Block 3, Lot No 35, 1 St Floor, Phase 1 Prima Square, Mile 4, North Road, MALAYSIA	
FIELD(S) OF INSPECTION :	AGRICULTURAL PRODUCTS - TYPE A	
CAB Name : Amspec Inspection Ma	alaysia Sdn. Bhd. (HQ)	
Inspection		
Items, Materials or Products Inspected	Type and Range of Inspection	Inspection Methods and Procedures
A - AGRICULTURAL PRODUCTS	- TYPE A	
Agricultural Liquid Products • Palm Oils and their derivatives • Used Cooking Oils • Biofuels	Loading and dischargingWeighingSamplingVisual quality and quantity	Internal Procedures: ASM-SOP-300 Liquid Product Measurement (Level)

Issue date: 26 June 2025

Valid Until: -



NO: MIBAS 021

(Issue 1, 26 June 2025 replacement of MIBAS 021 dated 26 June 2025)

Page: 3 of 14

Items, Materials or Products Inspected	Type and Range of Inspection	Inspection Methods and Procedures
Oleochemicals	inspections	ASM-SOP-301 Liquid Product Measurement (Temperature)
		ASM-SOP-302 Liquid Product Sampling
		ASM-SOP-303 Calculation of Liquid Quantities
		ASM-SOP-304 Sample Handling
		ASM-SOP-305 T ank Inspection
		ASM-SOP-306 Loading Procedures of Palm Kernel, Expeller, Seeds, Shells
		Standards: MPOB's Standard Surveying Procedures and Practice for Palm Oil and Palm Oil Products.
		FOSFA International's Code of Practice for FOSFA Approved Surveyors.
		NIOP Rule for Surveying of Inbound/Outbound Parcels of Vegetable Oils.
		GAFTA Approved Superintendent Code of Practice — GAFTA 124 Rules for Sampling.
		GAFTA Approved Superintendent Code of Practice — GAFTA 123 Rules for Weighing.
Agricultural Dry Products • Sugars • Palm Kernels	 Loading and discharging Weighing Sampling Visual quality and quantity 	Internal Procedures: ASM-SOP-300 Liquid Product Measurement (Level)
	inspections	ASM-SOP-301 Liquid Product Measurement

Issue date: 26 June 2025

Valid Until: -



NO: MIBAS 021

(Issue 1, 26 June 2025 replacement of MIBAS 021 dated 26 June 2025)

Page: 4 of 14

Items, Materials or Products Inspected	Type and Range of Inspection	Inspection Methods and Procedures
		(Temperature)
		ASM-SOP-302 Liquid Product Sampling
		ASM-SOP-303 Calculation of Liquid Quantities
		ASM-SOP-304 Sample Handling
		ASM-SOP-305 T ank Inspection
		ASM-SOP-306 Loading Procedures of Palm Kernel, Expeller, Seeds, Shells
		Standards: MPOB's Standard Surveying Procedures and Practice for Palm Oil and Palm Oil Products.
		FOSFA International's Code of Practice for FOSFA Approved Surveyors.
		NIOP Rule for Surveying of Inbound/Outbound Parcels of Vegetable Oils.
		GAFTA Approved Superintendent Code of Practice — GAFTA 124 Rules for Sampling.
		GAFTA Approved Superintendent Code of Practice — GAFTA 123 Rules for Weighing.

Valid Until: -



NO: MIBAS 021

(Issue 1, 26 June 2025 replacement of MIBAS 021 dated 26 June 2025)

Page: 5 of 14

		Page: 5 of 14
Branch BRANCH LOCATION	Amspec Inspection Malaysia Sdn. Bhd., Bintulu Strick, Town Square, Jalan Strick, Town Square, Jalan	
	Tun Ahmad Zaini ,MALAYSIA	
FIELD(S) OF INSPECTION :	AGRICULTURAL PRODUCTS	- TYPE A
BRANCH LOCATION	2. Amspec Inspection Malaysia 20A, Jalan 10/28, Taman Air Bii Malaysia,MALAYSIA	
FIELD(S) OF INSPECTION :	AGRICULTURAL PRODUCTS	- TYPE A
BRANCH LOCATION	3. Amspec Inspection Malaysia The Landmark, No 3-10, Block Tinggi 2,MALAYSIA	Sdn. Bhd., Klang 10 Jalan Batu Nilam 16, Jalana Bukit
FIELD(S) OF INSPECTION :	AGRICULTURAL PRODUCTS	- TYPE A
BRANCH LOCATION	4. Amspec Inspection Malaysia Sdn. Bhd., Sandakan Block 3, Lot No 35, 1 St Floor, Phase 1 Prima Square, Mile 4, North Road,MALAYSIA	
FIELD(S) OF INSPECTION: CAB Name: Amspec Inspection Ma	AGRICULTURAL PRODUCTS - TYPE A	
Inspection		
Items, Materials or Products Inspected	Type and Range of Inspection	Inspection Methods and Procedures
A - AGRICULTURAL PRODUCTS	- TYPE A	
Agricultural Liquid Products • Palm Oils and their derivatives • Used Cooking Oils • Biofuels • Oleochemicals	Loading and dischargingWeighingSamplingVisual quality and quantity inspections	Internal Procedures: ASM-SOP-300 Liquid Product Measurement (Level)
		ASM-SOP-301 Liquid Product Measurement (Temperature)
		ASM-SOP-302 Liquid Product Sampling
		ASM-SOP-303 Calculation of Liquid Quantities
		ASM-SOP-304 Sample Handling

Issue date: 26 June 2025

Valid Until: -



NO: MIBAS 021

(Issue 1, 26 June 2025 replacement of MIBAS 021 dated 26 June 2025)

Page: 6 of 14

		Page: 6 of 14
Items, Materials or Products Inspected	Type and Range of Inspection	Inspection Methods and Procedures
		ASM-SOP-305 T ank Inspection
		ASM-SOP-306 Loading Procedures of Palm Kernel, Expeller, Seeds, Shells
		Standards: MPOB's Standard Surveying Procedures and Practice for Palm Oil and Palm Oil Products.
		FOSFA International's Code of Practice for FOSFA Approved Surveyors.
		NIOP Rule for Surveying of Inbound/Outbound Parcels of Vegetable Oils.
		GAFTA Approved Superintendent Code of Practice — GAFTA 124 Rules for Sampling.
		GAFTA Approved Superintendent Code of Practice — GAFTA 123 Rules for Weighing.
Agricultural Dry Products • Sugars • Palm Kernels	Loading and dischargingWeighingSamplingVisual quality and quantity	Internal Procedures: ASM-SOP-300 Liquid Product Measurement (Level)
	inspections	ASM-SOP-301 Liquid Product Measurement (Temperature)
		ASM-SOP-302 Liquid Product Sampling
		ASM-SOP-303 Calculation of Liquid Quantities
		ASM-SOP-304 Sample Handling
		ASM-SOP-305 T ank Inspection

Issue date: 26 June 2025 Valid Until: -



NO: MIBAS 021

(Issue 1, 26 June 2025 replacement of MIBAS 021 dated 26 June 2025)

Page: 7 of 14

	Page. 7 01 14
Type and Range of Inspection	Inspection Methods and Procedures
	ASM-SOP-306 Loading Procedures of Palm Kernel, Expeller, Seeds, Shells
	Standards: MPOB's Standard Surveying Procedures and Practice for Palm Oil and Palm Oil Products.
	FOSFA International's Code of Practice for FOSFA Approved Surveyors.
	NIOP Rule for Surveying of Inbound/Outbound Parcels of Vegetable Oils.
	GAFTA Approved Superintendent Code of Practice — GAFTA 124 Rules for Sampling.
	GAFTA Approved Superintendent Code of Practice — GAFTA 123 Rules for Weighing.
	Sdn. Bhd., Bintulu ena Land District, Town Square, Jalan
AGRICULTURAL PRODUCTS -	TYPE A
AGRICULTURAL PRODUCTS	TYPE A
	Sdn. Bhd., Klang I0 Jalan Batu Nilam 16, Jalana Bukit
AGRICULTURAL PRODUCTS -	TYPE A
	Sdn. Bhd., Sandakan Phase 1 Prima Square, Mile 4, North
AGRICULTURAL PRODUCTS -	· TYPE A
	1. Amspec Inspection Malaysia 1st Floor, Lot 45, Block 31, Kem Tun Ahmad Zaini ,MALAYSIA AGRICULTURAL PRODUCTS - 2. Amspec Inspection Malaysia 20A, Jalan 10/28, Taman Air Bir Malaysia,MALAYSIA AGRICULTURAL PRODUCTS - 3. Amspec Inspection Malaysia The Landmark, No 3-10, Block of Tinggi 2,MALAYSIA AGRICULTURAL PRODUCTS - 4. Amspec Inspection Malaysia Block 3, Lot No 35, 1 St Floor, F

Valid Until: -



NO: MIBAS 021

(Issue 1, 26 June 2025 replacement of MIBAS 021 dated 26 June 2025)

Page: 8 of 14

Standards: MPOB's Standard Surveying Procedures and Practice for P Oil and Palm Oil Products. FOSFA International's Code of Practice for FOSFA Approved Surveyors. NIOP Rule for Surveying of Inbound/Outbound Parcels of Vegetable Oils. GAFTA Approved Superintence	Inspection		
Agricultural Liquid Products Palm Oils and their derivatives Used Cooking Oils Oleochemicals ASM-SOP-300 Liquid Product Measurement (Level) ASM-SOP-301 Liquid Product Measurement (Temperature) ASM-SOP-302 Liquid Product Measurement (Temperature) ASM-SOP-303 Calculation of Liquid Quantitie ASM-SOP-304 Sample Handling ASM-SOP-305 T ank Inspection ASM-SOP-306 Loading Procedures of Palm Kernel, Expeller, Seeds, Shell Standards: MPOB's Standard Surveying Procedures and Practice for POII and Palm Oil Products. FOSFA International's Code of Practice for FOSFA Approved Surveyors. NIOP Rule for Surveying of Inbound/Outbound Parcels of Vegetable Oils. GAFTA Approved Superintenc Code of Practice — GAFTA 1.		Type and Range of Inspection	
Palm Oils and their derivatives Used Cooking Oils Sloffuels Oleochemicals Visual quality and quantity inspections ASM-SOP-300 Liquid Product Measurement (Level) ASM-SOP-301 Liquid Product Measurement (Temperature) ASM-SOP-302 Liquid Product Sampling ASM-SOP-303 Calculation of Liquid Quantitie ASM-SOP-304 Sample Handling ASM-SOP-305 T ank Inspection ASM-SOP-306 Loading Procedures of Palm Kernel, Expeller, Seeds, Shell Standards: MPOB's Standard Surveying Procedures and Practice for POil and Palm Oil Products. FOSFA International's Code of Practice for FOSFA Approved Surveyors. NIOP Rule for Surveying of Inbound/Outbound Parcels of Vegetable Oils. GAFTA Approved Superintenc Code of Practice — GAFTA 1.	A - AGRICULTURAL PRODUCTS -	TYPE A	
Liquid Product Sampling ASM-SOP-303 Calculation of Liquid Quantitie ASM-SOP-304 Sample Handling ASM-SOP-305 T ank Inspection ASM-SOP-306 Loading Procedures of Palm Kernel, Expeller, Seeds, Shell Standards: MPOB's Standard Surveying Procedures and Practice for P Oil and Palm Oil Products. FOSFA International's Code of Practice for FOSFA Approved Surveyors. NIOP Rule for Surveying of Inbound/Outbound Parcels of Vegetable Oils. GAFTA Approved Superintenc Code of Practice — GAFTA 1.	Palm Oils and their derivativesUsed Cooking OilsBiofuels	WeighingSamplingVisual quality and quantity	ASM-SOP-300 Liquid Product Measurement (Level) ASM-SOP-301 Liquid Product Measurement
ASM-SOP-304 Sample Handling ASM-SOP-305 T ank Inspection ASM-SOP-306 Loading Procedures of Palm Kernel, Expeller, Seeds, Shell Standards: MPOB's Standard Surveying Procedures and Practice for P Oil and Palm Oil Products. FOSFA International's Code of Practice for FOSFA Approved Surveyors. NIOP Rule for Surveying of Inbound/Outbound Parcels of Vegetable Oils. GAFTA Approved Superintenc Code of Practice — GAFTA 1:			Liquid Product Sampling ASM-SOP-303
ank Inspection ASM-SOP-306 Loading Procedures of Palm Kernel, Expeller, Seeds, Shell Standards: MPOB's Standard Surveying Procedures and Practice for P Oil and Palm Oil Products. FOSFA International's Code of Practice for FOSFA Approved Surveyors. NIOP Rule for Surveying of Inbound/Outbound Parcels of Vegetable Oils. GAFTA Approved Superintence Code of Practice — GAFTA 1.			ASM-SOP-304
Loading Procedures of Palm Kernel, Expeller, Seeds, Shell Standards: MPOB's Standard Surveying Procedures and Practice for Poil and Palm Oil Products. FOSFA International's Code of Practice for FOSFA Approved Surveyors. NIOP Rule for Surveying of Inbound/Outbound Parcels of Vegetable Oils. GAFTA Approved Superintent Code of Practice — GAFTA 1:			
MPOB's Standard Surveying Procedures and Practice for Poil and Palm Oil Products. FOSFA International's Code of Practice for FOSFA Approved Surveyors. NIOP Rule for Surveying of Inbound/Outbound Parcels of Vegetable Oils. GAFTA Approved Superintent Code of Practice — GAFTA 15			
Practice for FOSFA Approved Surveyors. NIOP Rule for Surveying of Inbound/Outbound Parcels of Vegetable Oils. GAFTA Approved Superintend Code of Practice — GAFTA 1:			MPOB's Standard Surveying Procedures and Practice for Paln
Inbound/Outbound Parcels of Vegetable Oils. GAFTA Approved Superintend Code of Practice — GAFTA 1:			FOSFA International's Code of Practice for FOSFA Approved Surveyors.
Code of Practice — GAFTA 1:			Inbound/Outbound Parcels of
			GAFTA Approved Superintender Code of Practice — GAFTA 124 Rules for Sampling.

Issue date: 26 June 2025 Valid Until: -



NO: MIBAS 021

(Issue 1, 26 June 2025 replacement of MIBAS 021 dated 26 June 2025)

Page: 9 of 14

Items, Materials or Products	Type and Range of Inspection	Inspection Methods and
Inspected		Procedures
		Code of Practice — GAFTA 123 Rules for Weighing.
Agricultural Dry Products • Sugars • Palm Kernels	Loading and dischargingWeighingSamplingVisual quality and quantity inspections	Internal Procedures: ASM-SOP-300 Liquid Product Measurement (Level)
	Inspections	ASM-SOP-301 Liquid Product Measurement (Temperature)
		ASM-SOP-302 Liquid Product Sampling
		ASM-SOP-303 Calculation of Liquid Quantities
		ASM-SOP-304 Sample Handling
		ASM-SOP-305 T ank Inspection
		ASM-SOP-306 Loading Procedures of Palm Kernel, Expeller, Seeds, Shells
		Standards: MPOB's Standard Surveying Procedures and Practice for Paln Oil and Palm Oil Products.
		FOSFA International's Code of Practice for FOSFA Approved Surveyors.
		NIOP Rule for Surveying of Inbound/Outbound Parcels of Vegetable Oils.
		GAFTA Approved Superintenden Code of Practice — GAFTA 124 Rules for Sampling.
		GAFTA Approved Superintenden Code of Practice — GAFTA 123 Rules for Weighing.

Valid Until: -



NO: MIBAS 021

(Issue 1, 26 June 2025 replacement of MIBAS 021 dated 26 June 2025)

		Page: 10 of 14
	1st Floor, Lot 45, Block 31, Kemena Land District, Town Square, Jala Tun Ahmad Zaini ,MALAYSIA	
FIELD(S) OF INSPECTION :	AGRICULTURAL PRODUCTS - TYPE A	
BRANCH LOCATION	2. Amspec Inspection Malaysia Sdn. Bhd., Pasir Gudang 20A, Jalan 10/28, Taman Air Biru 81700 Pasir Gudang, Johor Malaysia,MALAYSIA	
FIELD(S) OF INSPECTION :	AGRICULTURAL PRODUCTS	- TYPE A
BRANCH LOCATION	3. Amspec Inspection Malaysia The Landmark, No 3-10, Block Tinggi 2,MALAYSIA	Sdn. Bhd., Klang 10 Jalan Batu Nilam 16, Jalana Bukit
FIELD(S) OF INSPECTION :	AGRICULTURAL PRODUCTS	- TYPE A
BRANCH LOCATION	4. Amspec Inspection Malaysia Block 3, Lot No 35, 1 St Floor, F Road, MALAYSIA	Sdn. Bhd., Sandakan Phase 1 Prima Square, Mile 4, North
FIELD(S) OF INSPECTION :	AGRICULTURAL PRODUCTS	- TYPE A
CAB Name : <u>Amspec Inspection in </u>	iaiaysia Sun. Bhu., Klang	
Inspection Items, Materials or Products	Type and Range of Inspection	Inspection Methods and Procedures
Inspection Items, Materials or Products Inspected A - AGRICULTURAL PRODUCTS	Type and Range of Inspection	
Inspection Items, Materials or Products Inspected	Type and Range of Inspection	The state of the s

Issue date: 26 June 2025 Valid Until: -



NO: MIBAS 021

(Issue 1, 26 June 2025 replacement of MIBAS 021 dated 26 June 2025)

Page: 11 of 14

Items, Materials or Products Inspected	Type and Range of Inspection	Inspection Methods and Procedures
		ASM-SOP-306 Loading Procedures of Palm Kernel, Expeller, Seeds, Shells
		Standards: MPOB's Standard Surveying Procedures and Practice for Palm Oil and Palm Oil Products.
		FOSFA International's Code of Practice for FOSFA Approved Surveyors.
		NIOP Rule for Surveying of Inbound/Outbound Parcels of Vegetable Oils.
		GAFTA Approved Superintendent Code of Practice — GAFTA 124 Rules for Sampling.
		GAFTA Approved Superintendent Code of Practice — GAFTA 123 Rules for Weighing.
Agricultural Dry Products • Sugars • Palm Kernels	Loading and dischargingWeighingSamplingVisual quality and quantity	Internal Procedures: ASM-SOP-300 Liquid Product Measurement (Level)
	inspections	ASM-SOP-301 Liquid Product Measurement (Temperature)
		ASM-SOP-302 Liquid Product Sampling
		ASM-SOP-303 Calculation of Liquid Quantities
		ASM-SOP-304 Sample Handling
		ASM-SOP-305 T ank Inspection
		ASM-SOP-306 Loading Procedures of Palm

Issue date: 26 June 2025

Valid Until: -



NO: MIBAS 021

(Issue 1, 26 June 2025 replacement of MIBAS 021 dated 26 June 2025)

Page: 12 of 14

Items, Materials or Products Inspected	Type and Range of Inspection	Inspection Methods and Procedures	
		Kernel, Expeller, Seeds, Shells	
		Standards: MPOB's Standard Surveying Procedures and Practice for Palm Oil and Palm Oil Products.	
		FOSFA International's Code of Practice for FOSFA Approved Surveyors.	
		NIOP Rule for Surveying of Inbound/Outbound Parcels of Vegetable Oils.	
		GAFTA Approved Superintendent Code of Practice — GAFTA 124 Rules for Sampling.	
		GAFTA Approved Superintendent Code of Practice — GAFTA 123 Rules for Weighing.	
BRANCH LOCATION	 Amspec Inspection Malaysia Sdn. Bhd., Bintulu 1st Floor, Lot 45, Block 31, Kemena Land District, Town Square, Jalar Tun Ahmad Zaini ,MALAYSIA 		
FIELD(S) OF INSPECTION :	AGRICULTURAL PRODUCTS	- TYPE A	
BRANCH LOCATION	2. Amspec Inspection Malaysia Sdn. Bhd., Pasir Gudang 20A, Jalan 10/28, Taman Air Biru 81700 Pasir Gudang, Johor Malaysia,MALAYSIA		
FIELD(S) OF INSPECTION :	AGRICULTURAL PRODUCTS - TYPE A		
BRANCH LOCATION	3. Amspec Inspection Malaysia Sdn. Bhd., Klang The Landmark, No 3-10, Block 10 Jalan Batu Nilam 16, Jalana Bukit Tinggi 2,MALAYSIA		
FIELD(S) OF INSPECTION :	AGRICULTURAL PRODUCTS	AGRICULTURAL PRODUCTS - TYPE A	
BRANCH LOCATION	4. Amspec Inspection Malaysia Sdn. Bhd., Sandakan Block 3, Lot No 35, 1 St Floor, Phase 1 Prima Square, Mile 4, North Road,MALAYSIA		
FIELD(S) OF INSPECTION :	AGRICULTURAL PRODUCTS - TYPE A		
CAB Name : Amspec Inspection N	Malaysia Sdn Bhd Sandakan		
Traine : //mopeo mapeouon n	Join Carr. Dila., Caridanan		

Valid Until: -



NO: MIBAS 021

(Issue 1, 26 June 2025 replacement of MIBAS 021 dated 26 June 2025)

Page: 13 of 14

Inspection				
Items, Materials or Products Inspected	Type and Range of Inspection	Inspection Methods and Procedures		
A - AGRICULTURAL PRODUCTS	- TYPE A			
Inspected A - AGRICULTURAL PRODUCTS Agricultural Liquid Products • Palm Oils and their derivatives • Used Cooking Oils • Biofuels • Oleochemicals				
		Code of Practice — GAFTA 124 Rules for Sampling.		
		GAFTA Approved Superintender Code of Practice — GAFTA 123 Rules for Weighing.		

Issue date: 26 June 2025

Valid Until: -



NO: MIBAS 021

(Issue 1, 26 June 2025 replacement of MIBAS 021 dated 26 June 2025)

Page: 14 of 14

		Fage. 14 01 14
Items, Materials or Products Inspected	Type and Range of Inspection	Inspection Methods and Procedures
Agricultural Dry Products • Sugars • Palm Kernels	Loading and dischargingWeighingSamplingVisual quality and quantity inspections	Internal Procedures: ASM-SOP-300 Liquid Product Measurement (Level)
	inspections	ASM-SOP-301 Liquid Product Measurement (Temperature)
		ASM-SOP-302 Liquid Product Sampling
		ASM-SOP-303 Calculation of Liquid Quantities
		ASM-SOP-304 Sample Handling
		ASM-SOP-305 T ank Inspection
		ASM-SOP-306 Loading Procedures of Palm Kernel, Expeller, Seeds, Shells
		Standards: MPOB's Standard Surveying Procedures and Practice for Palm Oil and Palm Oil Products.
		FOSFA International's Code of Practice for FOSFA Approved Surveyors.
		NIOP Rule for Surveying of Inbound/Outbound Parcels of Vegetable Oils.
		GAFTA Approved Superintendent Code of Practice — GAFTA 124 Rules for Sampling.
		GAFTA Approved Superintendent Code of Practice — GAFTA 123 Rules for Weighing.