


Schedule

Issue date: 28 July 2025
Valid Until: -



NO: SAMM 1135

Page: 1 of 1

LABORATORY LOCATION/ CENTRAL OFFICE:	Chemistry Laboratory FNSB, Felcra Niaga Sdn. Bhd. Lot 9063 Jalan Udang Gantung, Telok Gong, 42000 Pelabuhan Klang, Selangor, Malaysia , 42000, SELANGOR MALAYSIA
	
ACCREDITED SINCE :	28 JULY 2025
FIELD(S) OF TESTING:	CHEMICAL

This laboratory has demonstrated its technical competence to operate in accordance with MS ISO/IEC 17025:2017 (ISO/IEC 17025:2017).

This laboratory's fulfillment of the requirements of ISO/IEC 17025 means the laboratory meets both the technical competence requirements and management system requirements that are necessary for it to consistently deliver technically valid test results and calibrations. The management system requirements in ISO/IEC 17025 are written in language relevant to laboratory operations and operate generally in accordance with the principles of ISO 9001 (see Joint ISO-ILAC-IAF Communiqué dated April 2017).

CENTRAL LOCATION:	Chemistry Laboratory FNSB, Felcra Niaga Sdn. Bhd. Lot 9063 Jalan Udang Gantung, Telok Gong, 42000 Pelabuhan Klang, Selangor, Malaysia , 42000, Selangor
FIELD(S) OF TESTING :	CHEMICAL,

SCOPE OF TESTING : CHEMICAL

Material / Product Tested	Type Of Test / Properties Measured / Range Of Measurement	Standard Test Methods / Equipment / Techniques
Agricultural Products And Materials - Fertilizer	Determination of Nitrogen	In-House Method, TM-01 Elemental Analyzer
	Determination of Phosphorus, Potassium, Magnesium and Boron	In-House Method, TM-02 ICP-OES

Scan this QR Code or visit <https://accreditation.ism.gov.my/public/listing/cab/samm-ct/3005905> for the current scope of accreditation